

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ASTM A307-84 Standard Specification for Carbon Steel Externally Threaded Standard Fasteners

[View on Information Provider website](#)

Abbreviation

ASTM A307-84

Valid from

24/02/1984

Information provider

IHS Markit

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This specification covers the chemical and mechanical requirements of two grades of carbon steel externally threaded standard fasteners, in sizes ¼ in. (6.35 mm) through 4 in. (104 mm).

This specification does not cover requirements for externally threaded fasteners having heads with slotted or recessed drives or for mechanical expansion anchors.

The fasteners covered by this specification are frequently used for the following applications:

- Grade A Bolts, for general applications, and
- Grade B Bolts, for flanged joints in piping systems where one or both flanges are cast iron.

If no grade is specified in the inquiry, contract, or order, Grade A bolts shall be furnished.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM A307-84 Standard Specification for Carbon Steel Externally Threaded Standard Fasteners

This document is CITED BY:

- [ANSI/ASME B16.1:1989](#)

ASTM A307-84 is cited by ANSI/ASME B16.1:1989 Cast iron pipe flanges and flanged fittings, Class 25, 125, 250 and 800

Back

ASTM A307-84 Standard Specification for Carbon Steel Externally Threaded Standard Fasteners

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers the chemical and mechanical requirements of two grades of carbon steel externally threaded standard fasteners, in sizes ¼ in. (6.35 mm) through 4 in. (104 mm).

This specification does not cover requirements for externally threaded fasteners having heads with slotted or recessed drives or for mechanical expansion anchors.

The fasteners covered by this specification are frequently used for the following applications:

- Grade A Bolts, for general applications, and
- Grade B Bolts, for flanged joints in piping systems where one or both flanges are cast iron.

If no grade is specified in the inquiry, contract, or order, Grade A bolts shall be furnished.

[View on Information Provider website](#)

[ASTM A307-84 Standard Specification for Carbon Steel Externally Threaded Standard Fasteners](#)

Description

This specification covers the chemical and mechanical requirements of two grades of carbon steel externally threaded standard fasteners, in sizes ¼ in. (6.35 mm) through 4 in. (104 mm).

This specification does not cover requirements for externally threaded fasteners having heads with slotted or recessed drives or for mechanical expansion anchors.

The fasteners covered by this specification are frequently used for the following applications:

- Grade A Bolts, for general applications, and
- Grade B Bolts, for flanged joints in piping systems where one or both flanges are cast iron.

If no grade is specified in the inquiry, contract, or order, Grade A bolts shall be furnished.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM A307-84 Standard Specification for Carbon Steel Externally Threaded Standard Fasteners

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

| | | |
|--|--|--|
| | | |
| | | |
| | | |

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

| | | |
|--|--|--|
| | | |
| | | |

[Feedback](#)