

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ASTM A320/A320M-85A STANDARD SPECIFICATION FOR ALLOY STEEL BOLTING MATERIALS FOR LOW - TEMPERATURE SERVICE (E1-1987)

[View on Information Provider website](#)

Abbreviation

ASTM A320/A320M-85A

Version

Revision 85A

Valid from

31/08/1985

Information provider

IHS Markit

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This specification covers alloy steel bolting materials and bolting components for pressure vessels, valves, flanges, and fittings for low-temperature service.

The bars shall be hot-wrought and may be further processed by centerless grinding or by cold drawing.

Austenitic stainless steel may be solution annealed or annealed and strain-hardened.

Several grades are covered, including both ferritic and austenitic steels designated L7, B8, etc.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM A320/A320M-85A STANDARD SPECIFICATION FOR ALLOY STEEL BOLTING MATERIALS FOR LOW - TEMPERATURE SERVICE (E1-1987)

This document is CITED BY:

- [ANSI/ASME B16.5: 1988](#)

ASTM A320/A320M-85A is cited by ANSI/ASME B16.5: 1988 Pipe flanges and flanged fittings, steel-nickel alloy and other special alloys

Back

ASTM A320/A320M-85A STANDARD SPECIFICATION FOR ALLOY STEEL BOLTING MATERIALS FOR LOW - TEMPERATURE SERVICE (E1-1987)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers alloy steel bolting materials and bolting components for pressure vessels, valves, flanges, and fittings for low-temperature service.

The bars shall be hot-wrought and may be further processed by centerless grinding or by cold drawing.

Austenitic stainless steel may be solution annealed or annealed and strain-hardened.

Several grades are covered, including both ferritic and austenitic steels designated L7, B8, etc.

[View on Information Provider website](#)

[ASTM A320/A320M-85A STANDARD SPECIFICATION FOR ALLOY STEEL BOLTING MATERIALS FOR LOW - TEMPERATURE SERVICE \(E1-1987\)](#)

Description

This specification covers alloy steel bolting materials and bolting components for pressure vessels, valves, flanges, and fittings for low-temperature service.

The bars shall be hot-wrought and may be further processed by centerless grinding or by cold drawing.

Austenitic stainless steel may be solution annealed or annealed and strain-hardened.

Several grades are covered, including both ferritic and austenitic steels designated L7, B8, etc.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM A320/A320M-85A STANDARD SPECIFICATION FOR ALLOY STEEL BOLTING MATERIALS FOR LOW - TEMPERATURE SERVICE (E1-1987)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)