Skip to main content Skip to primary navigation Menu Menu	<u>on</u>
 Home Home About this portal Latest updates 	
Print Save Email Resource detail	-

ASTM A352/A352M-85 STANDARD SPECIFICATION FOR STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR LOW TEMPERATURE SERVICE

View on Information Provider website {{ linkText }}

Abbreviation

Citations

ASTM A352/A352M-85

Valid from

01/01/1985

Information provider

IHS Markit

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF, Hard copy

Cited By

This resource is cited by 1 document (show Citations)

Description

This specification covers steel castings for valves, flanges, fittings, and other pressure-containing parts intended primarily for low-temperature service.

Several grades of ferritic steels and one grade of martensitic steel are covered. Selection of analysis will depend on design and service conditions. The temperature shown is the lowest temperature at which the material ordinarily is required to meet the impact requirements of this specification.

Users should note that hardenability of some of the grades mentioned may restrict the maximum size at which the required mechanical properties are obtainable.

 $\label{prop:control} \mbox{For assistance with locating previous versions, please contact the information provider.}$

<u>View on Information Provider website</u> {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM A352/A352M-85 STANDARD SPECIFICATION FOR STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR LOW TEMPERATURE SERVICE

This document is CITED BY:

• ANSI/ASME B16.5: 1988

ASTM A352/A352M-85 is cited by ANSI/ASME B16.5: 1988 Pipe flanges and flanged fittings, steel-nickel alloy and other special alloys



ASTM A352/A352M-85 STANDARD SPECIFICATION FOR STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR LOW TEMPERATURE SERVICE

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers steel castings for valves, flanges, fittings, and other pressure-containing parts intended primarily for low-temperature service.

Several grades of ferritic steels and one grade of martensitic steel are covered. Selection of analysis will depend on design and service conditions. The temperature shown is the lowest temperature at which the material ordinarily is required to meet the impact requirements of this specification.

Users should note that hardenability of some of the grades mentioned may restrict the maximum size at which the required mechanical properties are obtainable.

View on Information Provider website

ASTM A352/A352M-85 STANDARD SPECIFICATION FOR STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR LOW TEMPERATURE SERVICE

Description

This specification covers steel castings for valves, flanges, fittings, and other pressure-containing parts intended primarily for low-temperature service.

Several grades of ferritic steels and one grade of martensitic steel are covered. Selection of analysis will depend on design and service conditions. The temperature shown is the lowest temperature at which the material ordinarily is required to meet the impact requirements of this specification.

Users should note that hardenability of some of the grades mentioned may restrict the maximum size at which the required mechanical properties are obtainable.

View on Information Provider website

This resource does not cite any other resources.

ASTM A352/A352M-85 STANDARD SPECIFICATION FOR STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR LOW TEMPERATURE SERVICE

This resource does not CITE any other resources.



Table of Contents

Print	<u>Save</u>	Email				
Feedba	<u>ack</u>	_				
					_	
_						
	ontact					
• <u>P</u>	rivacy r	<u>oolicy</u>				
• [isclaim	<u>ier</u>				
• <u>C</u>	opyrigh	<u>nt</u>				

<u>Feedback</u>