

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ASTM A754-79 (1990) Test Method For Coating Thickness By X-ray Fluorescence

[View on Information Provider website](#)

Abbreviation

ASTM A754-79 (1990)

Version

Re-approved in January 1990

Valid from

01/01/1979

Information provider

IHS Markit

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

Outlines X-ray fluorescence techniques for determining the thickness of coatings. Applies to stationary and moving samples.

Scope

This test method covers the use of x-ray fluorescence(XRF) for determining the coating weight (mass) of metallic coatings on steel sheet. The test method is intended to be used for "on-line" measurements of coating on continuous production lines.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This historic ASTM Standard is not readily available online. It was also included in the 1990 edition of the ASTM Annual Book of Standards Vol 01.06.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This historic ASTM Standard is not readily available online. It was also included in the 1990 edition of the ASTM Annual Book of Standards Vol 01.06.

This resource is cited by:

ASTM A754-79 (1990) Test Method For Coating Thickness By X-ray Fluorescence

This document is CITED BY:

- [AS 1397:2001](#)

ASTM A754-79 (1990) is cited by AS 1397:2001 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

Back

ASTM A754-79 (1990) Test Method For Coating Thickness By X-ray Fluorescence

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Outlines X-ray fluorescence techniques for determining the thickness of coatings. Applies to stationary and moving samples.

[View on Information Provider website](#)

[ASTM A754-79 \(1990\) Test Method For Coating Thickness By X-ray Fluorescence](#)

Description

Outlines X-ray fluorescence techniques for determining the thickness of coatings. Applies to stationary and moving samples.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM A754-79 (1990) Test Method For Coating Thickness By X-ray Fluorescence

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)

- [Copyright](#)

--	--	--

--

[Feedback](#)