

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

ASTM B164-03 (2008) Standard Specification for Nickel-Copper Alloy Rod, Bar, and Wire

[View on Information Provider website](#)

Abbreviation

ASTM B164-03 (2008)

Valid from

01/03/2008

Information provider

American Society of Testing and Materials

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

Description

This specification covers nickel-copper alloys UNS N04400 and N04405 in the form of hot-worked and cold-worked rod and bar in the conditions shown in Table 1 and cold-worked wire in the conditions shown in Table 2.

Scope

This specification covers nickel-copper alloys UNS N04400 and N04405* in the form of hot-worked and cold-worked rod and bar in the conditions shown in Table 1 and cold-worked wire in the conditions shown in Table 2.

The values stated in inch-pound units are to be regarded as the standard. The values given in parentheses are for information only.

This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to become familiar with all hazards including those identified in the appropriate Material Safety Data Sheet (MSDS) for this product/material as provided by the manufacturer, to establish appropriate safety and health practices, and determine the applicability of regulatory limitations prior to use.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

This resource is cited by:

ASTM B164-03 (2008) Standard Specification for Nickel-Copper Alloy Rod, Bar, and Wire

This document is CITED BY:

- [AS 1357.1-2009](#)

ASTM B164-03 (2008) is cited by AS 1357.1-2009 Valves primarily for use in heated water systems - Part 1: Protection valves

- [AS 1357.2-2005](#)

ASTM B164-03 (2008) is cited by AS 1357.2-2005 (2015) Valves primarily for use in heated water systems. Part 2: Control valves

- [AS/NZS 2845.1:2010](#)

ASTM B164-03 (2008) is cited by AS/NZS 2845.1:2010 Water supply - Backflow prevention devices - Part 1: Materials, design and performance requirements

Back

ASTM B164-03 (2008) Standard Specification for Nickel-Copper Alloy Rod, Bar, and Wire

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers nickel-copper alloys UNS N04400 and N04405 in the form of hot-worked and cold-worked rod and bar in the conditions shown in Table 1 and cold-worked wire in the conditions shown in Table 2.

[View on Information Provider website](#)

[ASTM B164-03 \(2008\) Standard Specification for Nickel-Copper Alloy Rod, Bar, and Wire](#)

Description

This specification covers nickel-copper alloys UNS N04400 and N04405 in the form of hot-worked and cold-worked rod and bar in the conditions shown in Table 1 and cold-worked wire in the conditions shown in Table 2.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM B164-03 (2008) Standard Specification for Nickel-Copper Alloy Rod, Bar, and Wire

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)