Skip to main content Skip to primary navigation
Menu
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u>
Print Save Email
Resource detail
Citations

ASTM B575-86A STANDARD SPECIFICATION FOR LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM ALLOY PLATE, SHEET, AND STRIP

View on Information Provider website {{ linkText }}

. . . .

Abbreviation ASTM B575-86A Valid from 28/11/1986

Information provider IHS Markit Author American Society of Testing and Materials Information type ASTM Standard Format PDF

Cited By <u>This resource is cited by 1 document (show Citations)</u>

Description

This specification covers plate, sheet, and strip of low-carbon nickel-chromium-molybdenum alloys (UNS N10276, N06022, N06455, N06035, N06044, UNS N06058, UNS N06059),3 low-carbon nickel-chromium-molybdenum-copper alloy (UNS N06200), low-carbon nickel-molybdenum-chromium (UNS N10362), low-carbon nickel-chromium-molybdenum- tantalum alloy (UNS N06210), and low-carbon nickel-chromium-molybdenum-tungsten alloy (UNS N06686) for use in general corrosive service.

The following products are covered under this specification:

- Sheet and Strip—Hot or cold rolled, solution annealed, and descaled unless solution anneal is performed in an atmosphere yielding a bright finish.
- Plate—Hot or cold rolled, solution annealed, and descaled.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM B575-86A STANDARD SPECIFICATION FOR LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM ALLOY PLATE, SHEET, AND STRIP

This document is CITED BY:

• ANSI/ASME B16.5: 1988

ASTM B575-86A is cited by ANSI/ASME B16.5: 1988 Pipe flanges and flanged fittings, steel-nickel alloy and other special alloys

Back

ASTM B575-86A STANDARD SPECIFICATION FOR LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM ALLOY PLATE, SHEET, AND STRIP

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers plate, sheet, and strip of low-carbon nickel-chromium-molybdenum alloys (UNS N10276, N06022, N06455, N06035, N06044, UNS N06058, UNS N06059),3 low-carbon nickel-chromium-molybdenum-copper alloy (UNS N06200), low-carbon nickel-molybdenum-chromium (UNS N10362), low-carbon nickel-chromium-molybdenum- tantalum alloy (UNS N06210), and low-carbon nickel-chromium-molybdenum-tungsten alloy (UNS N06686) for use in general corrosive service.

The following products are covered under this specification:

- Sheet and Strip—Hot or cold rolled, solution annealed, and descaled unless solution anneal is performed in an atmosphere yielding a bright finish.
- Plate—Hot or cold rolled, solution annealed, and descaled.

View on Information Provider website

ASTM B575-86A STANDARD SPECIFICATION FOR LOW-CARBON NICKEL- MOLYBDENUM-CHROMIUM ALLOY PLATE, SHEET, AND STRIP

Description

This specification covers plate, sheet, and strip of low-carbon nickel-chromium-molybdenum alloys (UNS N10276, N06022, N06455, N06035, N06044, UNS N06058, UNS N06059),3 low-carbon nickel-chromium-molybdenum-copper alloy (UNS N06200), low-carbon nickel-molybdenum-chromium (UNS N10362), low-carbon nickel-chromium-molybdenum- tantalum alloy (UNS N06210), and low-carbon nickel-chromium-molybdenum-tungsten alloy (UNS N06686) for use in general corrosive service.

The following products are covered under this specification:

- Sheet and Strip—Hot or cold rolled, solution annealed, and descaled unless solution anneal is performed in an atmosphere yielding a bright finish.
- Plate—Hot or cold rolled, solution annealed, and descaled.

View on Information Provider website

This resource does not cite any other resources.

ASTM B575-86A STANDARD SPECIFICATION FOR LOW-CARBON NICKEL-MOLYBDENUM-CHROMIUM ALLOY PLATE, SHEET, AND STRIP

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print <u>Save</u> Email		
Feedback	 	
<u>Contact us</u>		
Privacy policy		
Disclaimer		
 <u>Copyright</u> 		

Feedback