

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ASTM B582-86 STANDARD SPECIFICATION FOR NICKEL-CHROMIUM- IRON-MOLYBDENUM-COPPER ALLOY PLATE, SHEET, AND STRIP

[View on Information Provider website](#)

Abbreviation

ASTM B582-86

Valid from

01/01/1986

Information provider

IHS Markit

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

The specification covers plate, sheet, and strip of nickel-chromium-iron-molybdenum-copper alloys (UNS N06007, N06975, N06985, and N06030), for use in general corrosive service.

The following products are covered under this specification:

- Sheet and Strip—Hot or cold rolled, solution annealed, and descaled unless solution anneal is performed in an atmosphere yielding a bright finish.
- Plate—Hot or cold rolled, solution annealed, and descaled.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM B582-86 STANDARD SPECIFICATION FOR NICKEL-CHROMIUM- IRON-

MOLYBDENUM-COPPER ALLOY PLATE, SHEET, AND STRIP

This document is CITED BY:

- [ANSI/ASME B16.5: 1988](#)

ASTM B582-86 is cited by ANSI/ASME B16.5: 1988 Pipe flanges and flanged fittings, steel-nickel alloy and other special alloys

Back

ASTM B582-86 STANDARD SPECIFICATION FOR NICKEL-CHROMIUM- IRON-MOLYBDENUM-COPPER ALLOY PLATE, SHEET, AND STRIP

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

The specification covers plate, sheet, and strip of nickel-chromium-iron-molybdenum-copper alloys (UNS N06007, N06975, N06985, and N06030), for use in general corrosive service.

The following products are covered under this specification:

- Sheet and Strip—Hot or cold rolled, solution annealed, and descaled unless solution anneal is performed in an atmosphere yielding a bright finish.
- Plate—Hot or cold rolled, solution annealed, and descaled.

[View on Information Provider website](#)

[ASTM B582-86 STANDARD SPECIFICATION FOR NICKEL-CHROMIUM- IRON-MOLYBDENUM-COPPER ALLOY PLATE, SHEET, AND STRIP](#)

Description

The specification covers plate, sheet, and strip of nickel-chromium-iron-molybdenum-copper alloys (UNS N06007, N06975, N06985, and N06030), for use in general corrosive service.

The following products are covered under this specification:

- Sheet and Strip—Hot or cold rolled, solution annealed, and descaled unless solution anneal is performed in an atmosphere yielding a bright finish.
- Plate—Hot or cold rolled, solution annealed, and descaled.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM B582-86 STANDARD SPECIFICATION FOR NICKEL-CHROMIUM- IRON-MOLYBDENUM-COPPER ALLOY PLATE, SHEET, AND STRIP

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)