Skip to main content Skip to primary navigation				
Menu				
• Homo Homo				
 Home Home About this portal Latest updates 				
Print Save Email				
Resource detail				
<u>Citations</u>				
ACTM DC 00 Ober dead On selfication for 7'				
ASTM B6-88 Standard Specification for Zinc				
View on Information Provider website {{ linkText }}				
A la la constitución de la const				
Abbreviation ASTM B6-88				
ASTRIBO-00 Amendment				
Includes all amendments and changes through Editorial Change 1, May 1988				
Valid from				
01/05/1988				
Information provider				
IHS Markit				
Author				
American Society of Testing and Materials				
Information type				
ASTM Standard				
Format				
PDF				
Cited By				
This resource is cited by 1 document (show Citations)				
Description				

This specification covers zinc metal made from ore or other material by a process of distillation or by electrolysis in five grades as follows:

- LME Grade
- Special High Grade
- High Grade
- Intermediate Grade
- Prime Western Grade

This specification does not cover zinc produced by "sweating" or remelting of secondary zinc.

Scope

For assistance with locating previous versions, please contact the information provider.

<u>View on Information Provider website</u> {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM B6-88 Standard Specification for Zinc

This document is CITED BY:

ASTM A53-90 (Revision 90B)

ASTM B6-88 is cited by ASTM A53-90 Specification for pipe, steel, black and hot-dipped, zinc-coated welded and seamless



ASTM B6-88 Standard Specification for Zinc

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers zinc metal made from ore or other material by a process of distillation or by electrolysis in five grades as follows:

- LME Grade
- Special High Grade
- High Grade
- Intermediate Grade
- Prime Western Grade

This specification does not cover zinc produced by "sweating" or remelting of secondary zinc.

View on Information Provider website

ASTM B6-88 Standard Specification for Zinc

Description

This specification covers zinc metal made from ore or other material by a process of distillation or by electrolysis in five grades as follows:

- LME Grade
- · Special High Grade
- High Grade
- Intermediate Grade
- · Prime Western Grade

This specification does not cover zinc produced by "sweating" or remelting of secondary zinc.

View on Information Provider website

This resource does not cite any other resources.

ASTM B6-88 Standard Specification for Zinc

This resource does not CITE any other resources.



Table of Contents

Print Save Email		
Feedback		
Contact us		
Privacy policy		
Disclaimer Converget		
 Copyright 		

Feedback