

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ASTM D2261-96(2002) Standard test method for tearing strength of fabrics by the tongue (single rip) procedure (constant-

[View on Information Provider website](#)

Abbreviation

ASTM D2261-96(2002)

Valid from

01/04/1996

Information provider

American Society of Testing and Materials

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This test method covers the measurement of the tearing strength of textile fabrics by the tongue (single rip) procedure using a recording constant-rate-of-extension-type (CRE) tensile testing machine.

This test method applies to most fabrics including woven fabrics, air bag fabrics, blankets, napped fabrics, knit fabrics, layered fabrics, pile fabrics. The fabrics may be untreated, heavily sized, coated, resin-treated, or otherwise treated. Instructions are provided for testing specimens with or without wetting.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Standard is referenced in regard to fire sprinkler systems.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This Standard is referenced in regard to fire sprinkler systems.

This resource is cited by:

ASTM D2261-96(2002) Standard test method for tearing strength of fabrics by the tongue (single rip) procedure (constant-

This document is CITED BY:

- [NZS 4541:2007](#)

ASTM D2261-96(2002) is cited by NZS 4541:2007 Automatic fire sprinkler systems

[Back](#)

ASTM D2261-96(2002) Standard test method for tearing strength of fabrics by the tongue (single rip) procedure (constant-

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This test method covers the measurement of the tearing strength of textile fabrics by the tongue (single rip) procedure using a recording constant-rate-of-extension-type (CRE) tensile testing machine.

This test method applies to most fabrics including woven fabrics, air bag fabrics, blankets, napped fabrics, knit fabrics, layered fabrics, pile fabrics. The fabrics may be untreated, heavily sized, coated, resin-treated, or otherwise treated. Instructions are provided for testing specimens with or without wetting.

[View on Information Provider website](#)

[ASTM D2261-96\(2002\) Standard test method for tearing strength of fabrics by the tongue \(single rip\) procedure \(constant-](#)

Description

This test method covers the measurement of the tearing strength of textile fabrics by the tongue (single rip) procedure using a recording constant-rate-of-extension-type (CRE) tensile testing machine.

This test method applies to most fabrics including woven fabrics, air bag fabrics, blankets, napped fabrics, knit fabrics, layered fabrics, pile fabrics. The fabrics may be untreated, heavily sized, coated, resin-treated, or otherwise treated. Instructions are provided for testing specimens with or without wetting.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM D2261-96(2002) Standard test method for tearing strength of fabrics by the tongue (single rip) procedure (constant-

This resource does not CITE any other resources.

[Back](#)

[Close](#)

Table of Contents

[Print](#)

[Save](#)

[Email](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)