

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

ASTM D2860 / D2860M - 90(1999) Standard Test Method for Adhesion of Pressure-Sensitive Tape to Fiberboard at 90

[View on Information Provider website](#)

Abbreviation

ASTM D2860 / D2860M - 90(1999)

Valid from

01/08/1990

Information provider

American Society of Testing and Materials

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This test method covers the determination of the property of adhesion of pressure-sensitive tape to a fiberboard surface. The user of this test method has the option of choosing the paper surface for the test. The test surface may be the standard linerboard, another linerboard (or paper) of individual interest, or a specific fiberboard.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM D2860 / D2860M - 90(1999) Standard Test Method for Adhesion of Pressure-Sensitive Tape to Fiberboard at 90

This document is CITED BY:

- [ASSE 1050:1991](#)

ASTM D2860 / D2860M - 90(1999) is cited by ASSE 1050:1991 Performance requirements for air admittance valves for plumbing DWV systems stack type devices

- [ASSE 1051: 1992](#)

ASTM D2860 / D2860M - 90(1999) is cited by ASSE 1051:1992 Performance requirements for air admittance valves for plumbing drainage systems

Back

ASTM D2860 / D2860M - 90(1999) Standard Test Method for Adhesion of Pressure-Sensitive Tape to Fiberboard at 90

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This test method covers the determination of the property of adhesion of pressure-sensitive tape to a fiberboard surface. The user of this test method has the option of choosing the paper surface for the test. The test surface may be the standard linerboard, another linerboard (or paper) of individual interest, or a specific fiberboard.

[View on Information Provider website](#)

[ASTM D2860 / D2860M - 90\(1999\) Standard Test Method for Adhesion of Pressure-Sensitive Tape to Fiberboard at 90](#)

Description

This test method covers the determination of the property of adhesion of pressure-sensitive tape to a fiberboard surface. The user of this test method has the option of choosing the paper surface for the test. The test surface may be the standard linerboard, another linerboard (or paper) of individual interest, or a specific fiberboard.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM D2860 / D2860M - 90(1999) Standard Test Method for Adhesion of Pressure-Sensitive Tape to Fiberboard at 90

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

[Feedback](#)