

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ASTM D449 - 03 Standard Specification for Asphalt Used in Dampproofing and Waterproofing

[View on Information Provider website](#)

Abbreviation

ASTM D449 - 03

Valid from

10/07/2003

Information provider

American Society of Testing and Materials

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This specification covers three types of asphalt suitable for use as a mopping coat in dampproofing; or as a plying or mopping cement in the construction of membrane waterproofing systems.

Scope

This specification covers three types of asphalt suitable for use as a mopping coat in dampproofing; or as a plying or mopping cement in the construction of membrane waterproofing systems with felts in accordance with Specification D 226; fabrics in accordance with Specifications D 173 or D 1668 (asphalt types); asphalt-impregnated glass mat in accordance with Specifications D 2178; and with primer in accordance with Specification D 41.

The values stated in SI units are to be regarded as the standard. The values given in parentheses are for information only.

This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

This resource is cited by:

ASTM D449 - 03 Standard Specification for Asphalt Used in Dampproofing and Waterproofing

This document is CITED BY:

- [ASTM E96 / E96M - 05](#)

ASTM D449 - 03 is cited by ASTM E96 / E96M - 05 Standard Test Methods for Water Vapor Transmission of Materials

Back

ASTM D449 - 03 Standard Specification for Asphalt Used in Dampproofing and Waterproofing

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers three types of asphalt suitable for use as a mopping coat in dampproofing; or as a plying or mopping cement in the construction of membrane waterproofing systems.

[View on Information Provider website](#)

[ASTM D449 - 03 Standard Specification for Asphalt Used in Dampproofing and Waterproofing](#)

Description

This specification covers three types of asphalt suitable for use as a mopping coat in dampproofing; or as a plying or mopping cement in the construction of membrane waterproofing systems.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM D449 - 03 Standard Specification for Asphalt Used in Dampproofing and Waterproofing

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)

- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)