

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

ASTM D471-06e1 Standard Test Method for Rubber Property

[View on Information Provider website](#)

Abbreviation

ASTM D471-06e1

Amendment

includes editorial correction 'e1'

Valid from

01/10/2006

Information provider

American Society of Testing and Materials

Author

American Society of testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This test method covers the required procedures to evaluate the comparative ability of rubber and rubber-like compositions to withstand the effect of liquids.

It is designed for testing:

1. specimens of vulcanized rubber cut from standard sheets (see Practice D 3182),
2. specimens cut from fabric coated with vulcanized rubber (see Test Methods D 751), or
3. finished articles of commerce (see Practice D 3183).

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM D471-06e1 Standard Test Method for Rubber Property

This document is CITED BY:

- [ASTM D6134-07](#)

ASTM D471-06e1 is cited by ASTM D6134-07 Standard Specification for Vulcanised Rubber Sheets Used in Waterproofing Systems

Back

ASTM D471-06e1 Standard Test Method for Rubber Property

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This test method covers the required procedures to evaluate the comparative ability of rubber and rubber-like compositions to withstand the effect of liquids.

It is designed for testing:

1. specimens of vulcanized rubber cut from standard sheets (see Practice D 3182),
2. specimens cut from fabric coated with vulcanized rubber (see Test Methods D 751), or
3. finished articles of commerce (see Practice D 3183).

[View on Information Provider website](#)

[ASTM D471-06e1 Standard Test Method for Rubber Property](#)

Description

This test method covers the required procedures to evaluate the comparative ability of rubber and rubber-like compositions to withstand the effect of liquids.

It is designed for testing:

1. specimens of vulcanized rubber cut from standard sheets (see Practice D 3182),
2. specimens cut from fabric coated with vulcanized rubber (see Test Methods D 751), or
3. finished articles of commerce (see Practice D 3183).

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM D471-06e1 Standard Test Method for Rubber Property

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)