

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## ASTM E596 (1986) STANDARD METHOD FOR LABORATORY MEASUREMENT OF THE NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES

[View on Information Provider website](#)

### Abbreviation

ASTM E596 (1986)

### Valid from

17/07/1986

---

### Information provider

IHS Markit

### Author

American Society of Testing and Materials

### Information type

ASTM Standard

### Format

PDF

---

### Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

### Description

This test method covers the reverberation room measurement of the noise reduction of sound-isolating enclosures.

The noise isolation class may be determined from the noise reduction measured in accordance with this test method.

This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## ASTM E596 (1986) STANDARD METHOD FOR LABORATORY MEASUREMENT OF THE NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES

This document is CITED BY:

- [ASTM E413-87\(1999\)](#)

ASTM E596 (1986) is cited by ASTM E413-87(1999) Classification for rating sound insulation

Back

## ASTM E596 (1986) STANDARD METHOD FOR LABORATORY MEASUREMENT OF THE NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This test method covers the reverberation room measurement of the noise reduction of sound-isolating enclosures.

The noise isolation class may be determined from the noise reduction measured in accordance with this test method.

This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

[View on Information Provider website](#)

[ASTM E596 \(1986\) STANDARD METHOD FOR LABORATORY MEASUREMENT OF THE NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES](#)

### Description

This test method covers the reverberation room measurement of the noise reduction of sound-isolating enclosures.

The noise isolation class may be determined from the noise reduction measured in accordance with this test method.

This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

[View on Information Provider website](#)

This resource does not cite any other resources.

## ASTM E596 (1986) STANDARD METHOD FOR LABORATORY MEASUREMENT OF THE NOISE REDUCTION OF SOUND-ISOLATING ENCLOSURES

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

  
    

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)