

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

ASTM F493-04 Standard Specification for Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fit

[View on Information Provider website](#)

Abbreviation

ASTM F493-04

Valid from

01/01/2004

Information provider

American Society of Testing and Materials

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This specification provides requirements for chlorinated poly(vinyl chloride) solvent cements to be used in joining chlorinated poly(vinyl chloride) pipe, tubing, and socket-type fittings.

CPVC solvent cements are used with CPVC 41 chlorinated poly(vinyl chloride) pipe, tubing, and fittings, which meet Class 23447 as defined in Specification D 1784. 1.3

A recommended procedure for joining CPVC pipe and fittings is given

Scope

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM F493-04 Standard Specification for Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fit

This document is CITED BY:

- [AS/NZS 2032:2006](#)

ASTM F493-04 is cited by AS/NZS 2032:2006 Installation of PVC pipe systems

Back

ASTM F493-04 Standard Specification for Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fit

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification provides requirements for chlorinated poly(vinyl chloride) solvent cements to be used in joining chlorinated poly(vinyl chloride) pipe, tubing, and socket-type fittings.

CPVC solvent cements are used with CPVC 41 chlorinated poly(vinyl chloride) pipe, tubing, and fittings, which meet Class 23447 as defined in Specification D 1784. 1.3

A recommended procedure for joining CPVC pipe and fittings is given

[View on Information Provider website](#)

[ASTM F493-04 Standard Specification for Solvent Cements for Chlorinated Poly\(Vinyl Chloride\) \(CPVC\) Plastic Pipe and Fit](#)

Description

This specification provides requirements for chlorinated poly(vinyl chloride) solvent cements to be used in joining chlorinated poly(vinyl chloride) pipe, tubing, and socket-type fittings.

CPVC solvent cements are used with CPVC 41 chlorinated poly(vinyl chloride) pipe, tubing, and fittings, which meet Class 23447 as defined in Specification D 1784. 1.3

A recommended procedure for joining CPVC pipe and fittings is given

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM F493-04 Standard Specification for Solvent Cements for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Pipe and Fit

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)