Skip to main content Skip to primary navigation

Menu

- Home Home
- <u>About this portal</u>
- Latest updates

Print	<u>Save</u>	Email			

Resource detail Citations

# **Velux Skylights**

<u>View on Information Provider website Download this resource (PDF, 174KB)</u> {{ linkText }}

Abbreviation BRANZ-CM-1008 Valid from 15/05/2020

Information provider

Ministry of Business, Innovation and Employment Author Building Research Association of New Zealand Information type Product Certificate (CodeMark) Format PDF

### Description

Velux Skylights are double glazed skylights with wooden frames and an aluminium exterior. Velux Skylights (FS, VS, VSE and VSS) and Velux Low-Pitch Skylights (FCM, VCM, VCS) can be identified by their brand markings on both the units themselves and the packaging.

### Scope

Velux Skylights (FS, VS, VSE and VSS series) are for use on roofs of buildings to provide natural light into spaces in buildings within the following scope:

- the scope limitations of NZBC Acceptable Solution E2/AS1, Paragraph 1.1 with respect to building height and maximum floor plan area; and,
- with roof structures designed and constructed to meet the requirements of the NZBC; and,
- with masonry tile, pressed metal tile, and profiled metal roof cladding systems complying with NZBC Acceptable Solution E2/AS1; and,
- with a roof pitch between 15° and 60°; and,
- situated in NZS 3604 Wind Zones, up to and including Extra High; and,
- on buildings designed for up to a 1 kPa snow loading.

Velux Low-Pitch Skylights (FCM, VCM and VCS series) are for use on roofs of buildings to provide natural light into spaces in buildings within the following scope:

- the scope limitations of NZBC Acceptable Solution E2/AS1, Paragraph 1.1 with respect to building height and maximum floor plan area; and,
- with roof structures designed and constructed to meet the requirements of the NZBC; and,
- with pitched roof cladding types and profiles and minimum pitches as specified in E2/AS1; or,
- for use on membrane roof systems with a roof pitch greater than 2°; and,

- situated in NZS 3604 Wind Zones, up to and including Extra High; and,
- on buildings designed for up to a 1 kPa snow loading.

Velux Skylights must be installed in accordance with the Technical Literature supplied by Velux New Zealand Limited.

The installation of Velux Skylights must be completed by installers trained by Velux New Zealand Limited or by competent, experienced tradespersons with an understanding of roof window installation and weathertightness details.

The roof structure must be checked by a suitably qualified person for structural adequacy and suitability of the existing roof cladding prior to installation.

For assistance with locating previous versions, please contact the information provider.

<u>View on Information Provider website Download this resource (PDF, 174KB)</u> {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

## **Velux Skylights**

This document is not CITED BY any other resources:

```
Back
```

## **Velux Skylights**

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

Velux Skylights are double glazed skylights with wooden frames and an aluminium exterior. Velux Skylights (FS, VS, VSE and VSS) and Velux Low-Pitch Skylights (FCM, VCM, VCS) can be identified by their brand markings on both the units themselves and the packaging.

View on Information Provider website Download this resource (PDF, 174KB)

#### Velux Skylights

### Description

Velux Skylights are double glazed skylights with wooden frames and an aluminium exterior. Velux Skylights (FS, VS, VSE and VSS) and Velux Low-Pitch Skylights (FCM, VCM, VCS) can be identified by their brand markings on both the units themselves and the packaging.

View on Information Provider website Download this resource (PDF, 174KB)


This resource does not cite any other resources.

### **Velux Skylights**

This resource does not CITE any other resources.

Back	
Close	

Table of Contents



Feedback