Skip to main content Skip to primary navigation	
Menu	
Home Home	
<u>About this portal</u>	
Latest updates	
Print Save Email	
Resource detail	
Citations	

BS 1640-3:1968 Specification for steel butt-welding pipe fittings for the petroleum industry - Part 3: Wrought carbon and ferritic alloy steel fittings. Metric units

View on Information Provider website {{ linkText }}

Abbreviation BS 1640-3:1968 Valid from 22/03/1968

Information provider Standards New Zealand Author British Standards Institution Information type British Standard Format PDF

Cited By <u>This resource is cited by 5 documents (show Citations)</u>

Description

Dimensions and tolerances, materials, methods of manufacture, pressure/temperature ratings, marking, inspection, tests for seamless and fabricated fittings: 45° long radius elbows, 90° long and short radius elbows, 90° long radius tangent elbows, long and short radius return bends, equal and reducing tees, concentric and eccentric reducers, caps and lap-joint stub ends, of sizes 19 mm to 609.5 mm. Welding-neck flanges not included. (Metric Units)

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 1640-3:1968 Specification for steel butt-welding pipe fittings for the petroleum industry - Part 3: Wrought carbon and ferritic alloy steel fittings. Metric units

• G10/AS1 (First Edition, Amendment 5)

BS 1640-3:1968 is cited by Acceptable Solution G10/AS1: Piped Services from 01/07/1992

• AS/NZS 5601.1:2010

BS 1640-3:1968 is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

• AS/NZS 5601.1:2013

BS 1640-3:1968 is cited by AS/NZS 5601.1:2013 Gas installations - General installations

• <u>BS 2971:1991</u>

BS 1640-3:1968 is cited by BS 2971:1991 Specification for class II arc welding of carbon steel pipework for carrying fluids

• NZS 5261: 2003

BS 1640-3:1968 is cited by NZS 5261: 2003 Gas installation

Back

BS 1640-3:1968 Specification for steel butt-welding pipe fittings for the petroleum industry - Part 3: Wrought carbon and ferritic alloy steel fittings. Metric units

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

Dimensions and tolerances, materials, methods of manufacture, pressure/temperature ratings, marking, inspection, tests for seamless and fabricated fittings: 45° long radius elbows, 90° long and short radius elbows, 90° long radius tangent elbows, long and short radius return bends, equal and reducing tees, concentric and eccentric reducers, caps and lap-joint stub ends, of sizes 19 mm to 609.5 mm. Welding-neck flanges not included. (Metric Units)

View on Information Provider website

BS 1640-3:1968 Specification for steel butt-welding pipe fittings for the petroleum industry - Part 3: Wrought carbon and ferritic alloy steel fittings. Metric units

Description

Dimensions and tolerances, materials, methods of manufacture, pressure/temperature ratings, marking, inspection, tests for seamless and fabricated fittings: 45° long radius elbows, 90° long and short radius elbows, 90° long radius tangent elbows, long and short radius return bends, equal and reducing tees, concentric and eccentric reducers, caps and lap-joint stub ends, of sizes 19 mm to 609.5 mm. Welding-neck flanges not included. (Metric Units)

View on Information Provider website

This resource does not cite any other resources.

BS 1640-3:1968 Specification for steel butt-welding pipe fittings for the petroleum industry - Part 3: Wrought carbon and ferritic alloy steel fittings. Metric units

This resource does not CITE any other resources.



Close

Table of Contents



Feedback