

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)

[Citations](#)

BS 1640-4:1968 Specification for steel butt-welding pipe fittings for the petroleum industry. Wrought and cast austenitic chromium-nickel steel fittings. Metric units

[View on Information Provider website](#)

Abbreviation

BS 1640-4:1968

Valid from

21/03/1968

Information provider

Standards New Zealand

Author

British Standards Institution

Information type

British Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This specification includes:

Dimensions and tolerances, materials, methods of manufacture, pressure/temperature ratings, marking, inspection, tests for seamless and fabricated fittings: 45° long radius elbows, 90° long and short radius elbows, 90° long radius tangent elbows, long and short radius return bends, equal and reducing tees, concentric and eccentric reducers, caps and lap-joint stub ends, of sizes 19 mm to 609.5 mm.

Welding-neck flanges not included.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 1640-4:1968 Specification for steel butt-welding pipe fittings for the

petroleum industry. Wrought and cast austenitic chromium-nickel steel fittings. Metric units

This document is CITED BY:

- [G10/AS1 \(First Edition, Amendment 5\)](#)

BS 1640-4:1968 is cited by Acceptable Solution G10/AS1: Piped Services from 01/07/1992

- [NZS 5261: 2003](#)

BS 1640-4:1968 is cited by NZS 5261: 2003 Gas installation

[Back](#)

BS 1640-4:1968 Specification for steel butt-welding pipe fittings for the petroleum industry. Wrought and cast austenitic chromium-nickel steel fittings. Metric units

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification includes:

Dimensions and tolerances, materials, methods of manufacture, pressure/temperature ratings, marking, inspection, tests for seamless and fabricated fittings: 45° long radius elbows, 90° long and short radius elbows, 90° long radius tangent elbows, long and short radius return bends, equal and reducing tees, concentric and eccentric reducers, caps and lap-joint stub ends, of sizes 19 mm to 609.5 mm.

Welding-neck flanges not included.

[View on Information Provider website](#)

[BS 1640-4:1968 Specification for steel butt-welding pipe fittings for the petroleum industry. Wrought and cast austenitic chromium-nickel steel fittings. Metric units](#)

Description

This specification includes:

Dimensions and tolerances, materials, methods of manufacture, pressure/temperature ratings, marking, inspection, tests for seamless and fabricated fittings: 45° long radius elbows, 90° long and short radius elbows, 90° long radius tangent elbows, long and short radius return bends, equal and reducing tees, concentric and eccentric reducers, caps and lap-joint stub ends, of sizes 19 mm to 609.5 mm.

Welding-neck flanges not included.

[View on Information Provider website](#)

This resource does not cite any other resources.

BS 1640-4:1968 Specification for steel butt-welding pipe fittings for the petroleum industry. Wrought and cast austenitic chromium-nickel steel fittings. Metric units

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)