Skip to main content Skip to primary navigation	
Menu	
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u> 	
Print Save Email	
Resource detail	
Citations	

BS 1748-8:1960 Methods for the analysis of copper alloys. Method for the
determination of phosphorus in copper alloys (photometric method)

View on Information Provider website {{ linkText }}
Abbreviation
BS 1748-8:1960
Valid from
20/07/1960
Information provider
Standards New Zealand
Author
British Standards Institution
Information type
British Standard
Format
PDF

Cited By <u>This resource is cited by 1 document (show Citations)</u>

Description

Reagents, sampling, test procedure for alloys with phosphorus content up to 1.20 per cent. Applicable to all types of copper alloys provided a suitable compensating solution is used when elements are present which would otherwise interfere in the optical density determination.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website	{{ linkText }}
--------------------------------------	----------------

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 1748-8:1960 Methods for the analysis of copper alloys. Method for the determination of phosphorus in copper alloys (photometric method)

This document is CITED BY:

• <u>AS 1566:1997</u>

Back

BS 1748-8:1960 Methods for the analysis of copper alloys. Method for the determination of phosphorus in copper alloys (photometric method)

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

Reagents, sampling, test procedure for alloys with phosphorus content up to 1.20 per cent. Applicable to all types of copper alloys provided a suitable compensating solution is used when elements are present which would otherwise interfere in the optical density determination.

View on Information Provider website

BS 1748-8:1960 Methods for the analysis of copper alloys. Method for the determination of phosphorus in copper alloys (photometric method)

Description

Reagents, sampling, test procedure for alloys with phosphorus content up to 1.20 per cent. Applicable to all types of copper alloys provided a suitable compensating solution is used when elements are present which would otherwise interfere in the optical density determination.

View on Information Provider website

This resource does not cite any other resources.

BS 1748-8:1960 Methods for the analysis of copper alloys. Method for the determination of phosphorus in copper alloys (photometric method)

This resource does not CITE any other resources.

Back Close	
Table of Contents	
Print <u>Save</u> Email Feedback	
 <u>Contact us</u> <u>Privacy policy</u> <u>Disclaimer</u> <u>Copyright</u> 	
	-
<u>Feedback</u>	