

- [Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Resource detail](#)  
[Citations](#)

## BS 2782-10: Method 1005:1977 Methods of testing Plastics - Part 10: Glass reinforced plastics - Method 1005: Determination of flexural properties. Three point method

[View on Information Provider website](#)

### Abbreviation

BS 2782-10: Method 1005:1977

### Valid from

31/08/1977

---

### Information provider

British Standards Institution

### Author

British Standards Institution

### Information type

British Standard

### Format

PDF

---

### Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

### Description

This Standard provides a method for determining the flexural properties of plastics by applying a force on the centre of a sample until it breaks.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## BS 2782-10: Method 1005:1977 Methods of testing Plastics - Part 10: Glass reinforced plastics - Method 1005: Determination of flexural properties. Three point method

This document is CITED BY:

- [BS 7159:1989](#)

BS 2782-10: Method 1005:1977 is cited by BS 7159:1989 Code of practice for design and construction of glass-reinforced plastics (GRP) piping systems for individual plants or sites

Back

## BS 2782-10: Method 1005:1977 Methods of testing Plastics - Part 10: Glass reinforced plastics - Method 1005: Determination of flexural properties. Three point method

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard provides a method for determining the flexural properties of plastics by applying a force on the centre of a sample until it breaks.

[View on Information Provider website](#)

[BS 2782-10: Method 1005:1977 Methods of testing Plastics - Part 10: Glass reinforced plastics - Method 1005: Determination of flexural properties. Three point method](#)

### Description

This Standard provides a method for determining the flexural properties of plastics by applying a force on the centre of a sample until it breaks.

[View on Information Provider website](#)

This resource does not cite any other resources.

## BS 2782-10: Method 1005:1977 Methods of testing Plastics - Part 10: Glass reinforced plastics - Method 1005: Determination of flexural properties. Three point method

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

<input type="text"/>		
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

