Menu Menu
• Home Home
 About this portal Latest updates
▼ Latest updates
Print Save Email Resource detail
<u>Citations</u>
BS 2782-4 Method 434C:1977 Methods of testing plastics. Chemical properties. Determination of antioxidants in polyolefin compounds by ultra-violet absorption of the toluene/ethanol extract in ethanol solution
View on Information Provider website {{ linkText }}
Abbreviation
BS 2782-4 Method 434C:1977 Valid from
31/10/1977
Information provider
British Standards Institution
Author British Standards Institution
Information type
British Standard Format
PDF
Cited By This resource is cited by 1 document (show Citations)
Description
Sets out a test method in determining antioxidants in polyolefin compounds using ultra-violet absorption of toluene/ethanol extract in ethanol solution.
For assistance with locating previous versions, please contact the information provider.
View on Information Provider website {{ linkText }}
For assistance with locating previous versions, please contact the information provider.

BS 2782-4 Method 434C:1977 Methods of testing plastics. Chemical properties. Determination of antioxidants in polyolefin compounds by ultra-violet absorption of the toluene/ethanol extract in ethanol solution

This resource is cited by:

Skip to main content Skip to primary navigation

NZS 7610:1991

BS 2782-4 Method 434C:1977 is cited by NZS 7610:1991 Blue polyethylene pipes up to nominal size 63 for below ground use for potable water



BS 2782-4 Method 434C:1977 Methods of testing plastics. Chemical properties. Determination of antioxidants in polyolefin compounds by ultra-violet absorption of the toluene/ethanol extract in ethanol solution

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

Sets out a test method in determining antioxidants in polyolefin compounds using ultra-violet absorption of toluene/ethanol extract in ethanol solution.

View on Information Provider website

BS 2782-4 Method 434C:1977 Methods of testing plastics. Chemical properties. Determination of antioxidants in polyolefin compounds by ultraviolet absorption of the toluene/ethanol extract in ethanol solution

Description

Sets out a test method in determining antioxidants in polyolefin compounds using ultra-violet absorption of toluene/ethanol extract in ethanol solution.

View on Information Provider website

This resource does not cite any other resources.

BS 2782-4 Method 434C:1977 Methods of testing plastics. Chemical properties. Determination of antioxidants in polyolefin compounds by ultra-violet absorption of the toluene/ethanol extract in ethanol solution

This resource does not CITE any other resources.	
Back	
Table of Contents	
Print Save Email Feedback	
 Contact us Privacy policy Disclaimer Copyright 	

