

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

BS 3396-3:1970 Specification for woven glass fibre fabrics for plastics reinforcement - Part 3: Finished fabrics for use with polyester resin systems

[View on Information Provider website](#)

Abbreviation

BS 3396-3:1970

Valid from

31/03/1970

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard give specifications for woven glass fibre fabrics for plastics reinforcement. This part covers finished fabrics for use with polyester resin systems.

Requirements for glass fibre fabrics, specified in Parts 1 and 2, which have been desized to a residual size content of not more than 0.1 per cent and finished for use with polyester resin systems.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 3396-3:1970 Specification for woven glass fibre fabrics for plastics reinforcement - Part 3: Finished fabrics for use with polyester resin systems

This document is CITED BY:

- [BS 6464:1984](#)

BS 3396-3:1970 is cited by BS 6464:1984 Specification for reinforced plastics pipes, fittings and joints for process plants

Back

BS 3396-3:1970 Specification for woven glass fibre fabrics for plastics reinforcement - Part 3: Finished fabrics for use with polyester resin systems

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard give specifications for woven glass fibre fabrics for plastics reinforcement. This part covers finished fabrics for use with polyester resin systems.

Requirements for glass fibre fabrics, specified in Parts 1 and 2, which have been desized to a residual size content of not more than 0.1 per cent and finished for use with polyester resin systems.

[View on Information Provider website](#)

[BS 3396-3:1970 Specification for woven glass fibre fabrics for plastics reinforcement - Part 3: Finished fabrics for use with polyester resin systems](#)

Description

This Standard give specifications for woven glass fibre fabrics for plastics reinforcement. This part covers finished fabrics for use with polyester resin systems.

Requirements for glass fibre fabrics, specified in Parts 1 and 2, which have been desized to a residual size content of not more than 0.1 per cent and finished for use with polyester resin systems.

[View on Information Provider website](#)

This resource does not cite any other resources.

BS 3396-3:1970 Specification for woven glass fibre fabrics for plastics reinforcement - Part 3: Finished fabrics for use with polyester resin systems

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)