

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## BS 3496:1973 Specification for E glass fibre chopped strand mat for the reinforcement of polyester resin systems

[View on Information Provider website](#)

Abbreviation  
BS 3496:1973  
Valid from  
15/10/1973

---

Information provider  
British Standards Institution  
Author  
British Standards Institution  
Information type  
British Standard  
Format  
PDF

---

Cited By  
[This resource is cited by 2 documents \(show Citations\)](#)

---

### Description

Specifies requirements for E glass fibre chopped strand mat for the reinforcement of polyester resin systems, the strands being laid at random and held together with a chemical binder. Chopped strand mats are available as either normal grade or selected grade depending on the frequency of testing.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## BS 3496:1973 Specification for E glass fibre chopped strand mat for the reinforcement of polyester resin systems

This document is CITED BY:

- [BS 6464:1984](#)

BS 3496:1973 is cited by BS 6464:1984 Specification for reinforced plastics pipes, fittings and joints for process plants

- [BS 7159:1989](#)

BS 3496:1973 is cited by BS 7159:1989 Code of practice for design and construction of glass-reinforced plastics (GRP) piping systems for individual plants or sites

Back

## BS 3496:1973 Specification for E glass fibre chopped strand mat for the reinforcement of polyester resin systems

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

Specifies requirements for E glass fibre chopped strand mat for the reinforcement of polyester resin systems, the strands being laid at random and held together with a chemical binder. Chopped strand mats are available as either normal grade or selected grade depending on the frequency of testing.

[View on Information Provider website](#)

[BS 3496:1973 Specification for E glass fibre chopped strand mat for the reinforcement of polyester resin systems](#)

### Description

Specifies requirements for E glass fibre chopped strand mat for the reinforcement of polyester resin systems, the strands being laid at random and held together with a chemical binder. Chopped strand mats are available as either normal grade or selected grade depending on the frequency of testing.

[View on Information Provider website](#)

This resource does not cite any other resources.

## BS 3496:1973 Specification for E glass fibre chopped strand mat for the reinforcement of polyester resin systems

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

  


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

