

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

## BS 4504-3-3.2:1989 Circular flanges for pipes, valves and fittings (PN designated). Steel, cast iron and copper alloy flanges. Specification for cast iron flanges

[View on Information Provider website](#)

Abbreviation

BS 4504-3-3.2:1989

Valid from

30/06/1989

Replaces

---

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

---

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

---

Description

Types of flanges made in grey, malleable and ductile cast iron from PN2.5 to PN40 and in sizes up to DN4000.

Facings, dimensions, tolerances, threading, bolt sizes, marking and materials for bolting and flange materials with associated pressure/temperature ratings.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

**BS 4504-3-3.2:1989 Circular flanges for pipes, valves and fittings (PN designated). Steel, cast iron and copper alloy flanges. Specification for cast**

# iron flanges

This document is CITED BY:

- [BS 2971:1991](#)

BS 4504-3-3.2:1989 is cited by BS 2971:1991 Specification for class II arc welding of carbon steel pipework for carrying fluids

- [BS 7159:1989](#)

BS 4504-3-3.2:1989 is cited by BS 7159:1989 Code of practice for design and construction of glass-reinforced plastics (GRP) piping systems for individual plants or sites

Back

## **BS 4504-3-3.2:1989 Circular flanges for pipes, valves and fittings (PN designated). Steel, cast iron and copper alloy flanges. Specification for cast iron flanges**

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

Types of flanges made in grey, malleable and ductile cast iron from PN2.5 to PN40 and in sizes up to DN4000.

Facings, dimensions, tolerances, threading, bolt sizes, marking and materials for bolting and flange materials with associated pressure/temperature ratings.

[View on Information Provider website](#)

[BS 4504-3-3.2:1989 Circular flanges for pipes, valves and fittings \(PN designated\). Steel, cast iron and copper alloy flanges. Specification for cast iron flanges](#)

### Description

Types of flanges made in grey, malleable and ductile cast iron from PN2.5 to PN40 and in sizes up to DN4000.

Facings, dimensions, tolerances, threading, bolt sizes, marking and materials for bolting and flange materials with associated pressure/temperature ratings.

[View on Information Provider website](#)

This resource does not cite any other resources.

## **BS 4504-3-3.2:1989 Circular flanges for pipes, valves and fittings (PN designated). Steel, cast iron and copper alloy flanges. Specification for cast iron flanges**

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)