

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## BS 4999-72:1972 Specification for general requirements for rotating electrical machines - Part 72: Built-in thermal protection for electric motors rated at 660 volts a.c. and below

[View on Information Provider website](#)

### Abbreviation

BS 4999-72:1972

### Valid from

14/02/1972

---

### Information provider

British Standards Institution

### Author

British Standards Institution

### Information type

British Standard

### Format

PDF

---

### Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

### Description

This Standard gives specifications for general requirements for rotating electrical machines. This part covers built-in thermal protection for electric motors rated at 660 volts a.c. and below. the Standard describes limits of tolerance on efficiency, power factor, speed, torques, starting currents, transient and other reactances, voltage regulation and short circuit ratio of a .c. generators, exciter response and moment of inertia.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

**BS 4999-72:1972 Specification for general requirements for rotating electrical machines - Part 72: Built-in thermal protection for electric motors rated at 660 volts a.c. and below**

This document is CITED BY:

- [NZS 6104:1981](#)

BS 4999-72:1972 is cited by NZS 6104:1981 Specification for emergency electricity supply in buildings

Back

## BS 4999-72:1972 Specification for general requirements for rotating electrical machines - Part 72: Built-in thermal protection for electric motors rated at 660 volts a.c. and below

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard gives specifications for general requirements for rotating electrical machines. This part covers built-in thermal protection for electric motors rated at 660 volts a.c. and below. the Standard describes limits of tolerance on efficiency, power factor, speed, torques, starting currents, transient and other reactances, voltage regulation and short circuit ratio of a .c. generators, exciter response and moment of inertia.

[View on Information Provider website](#)

[BS 4999-72:1972 Specification for general requirements for rotating electrical machines - Part 72: Built-in thermal protection for electric motors rated at 660 volts a.c. and below](#)

### Description

This Standard gives specifications for general requirements for rotating electrical machines. This part covers built-in thermal protection for electric motors rated at 660 volts a.c. and below. the Standard describes limits of tolerance on efficiency, power factor, speed, torques, starting currents, transient and other reactances, voltage regulation and short circuit ratio of a .c. generators, exciter response and moment of inertia.

[View on Information Provider website](#)

This resource does not cite any other resources.

## BS 4999-72:1972 Specification for general requirements for rotating electrical machines - Part 72: Built-in thermal protection for electric motors rated at 660 volts a.c. and below

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

  
  

- [Contact us](#)
- [Privacy policy](#)

- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)