

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

BS 5499-5:2002 Graphic Symbols And Signs - Safety Signs, Including Fire Safety Signs - Part 5: Signs With Specific Safety Meanings

[View on Information Provider website](#)

Abbreviation

BS 5499-5:2002

Valid from

09/07/2002

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This British Standard, a part of the BS 5499 series, specifies requirements for safety signs using the system of geometric shapes and safety colours specified in BS 5499-1. It is applicable to signs providing information on the actions to be taken to prevent, or reduce the risk of, accidents, for warning of hazards and for dealing with certain emergencies including the identification of escape routes and the location of fire equipment.

Signs specified as Category A signs have been accepted and registered by Technical Committee PH/8 as approved safety signs. Signs specified as Category B signs are judged by Technical Committee PH/8 to require the further education of intended viewers before they can be registered as approved safety signs. Signs specified as Category C signs are judged by Technical Committee PH/8 to require improvements to their graphical symbols as well as further education of intended viewers before they can be registered as approved safety signs.

This standard does not cover:

- a) road traffic signs;
- b) public information symbols;
- c) International Maritime Organisation symbols;
- d) labels provided under the Carriage of Dangerous Goods by Road Regulations 1996;
- e) labels provided under the International Maritime Dangerous Goods Code.

[View on Information Provider website](#) `{{ linkText }}`

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 5499-5:2002 Graphic Symbols And Signs - Safety Signs, Including Fire Safety Signs - Part 5: Signs With Specific Safety Meanings

This document is CITED BY:

- [BS 7273-4:2007](#)

BS 5499-5:2002 is cited by BS 7273-4:2007 Code of practice for the operation of fire protection measures. Actuation of release mechanisms for doors

Back

BS 5499-5:2002 Graphic Symbols And Signs - Safety Signs, Including Fire Safety Signs - Part 5: Signs With Specific Safety Meanings

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This British Standard, a part of the BS 5499 series, specifies requirements for safety signs using the system of geometric shapes and safety colours specified in BS 5499-1. It is applicable to signs providing information on the actions to be taken to prevent, or reduce the risk of, accidents, for warning of hazards and for dealing with certain emergencies including the identification of escape routes and the location of fire equipment.

Signs specified as Category A signs have been accepted and registered by Technical Committee PH/8 as approved safety signs. Signs specified as Category B signs are judged by Technical Committee PH/8 to require the further education of intended viewers before they can be registered as approved safety signs. Signs specified as Category C signs are judged by Technical Committee PH/8 to require improvements to their graphical symbols as well as further education of intended viewers before they can be registered as approved safety signs.

This standard does not cover:

- a) road traffic signs;
- b) public information symbols;
- c) International Maritime Organisation symbols;
- d) labels provided under the Carriage of Dangerous Goods by Road Regulations 1996;
- e) labels provided under the International Maritime Dangerous Goods Code.

[View on Information Provider website](#)

[BS 5499-5:2002 Graphic Symbols And Signs - Safety Signs, Including Fire Safety Signs - Part 5: Signs With Specific Safety Meanings](#)

Description

This British Standard, a part of the BS 5499 series, specifies requirements for safety signs using the system of geometric shapes and safety colours specified in BS 5499-1. It is applicable to signs providing information on the actions to be taken to prevent, or reduce the risk of, accidents, for warning of hazards and for dealing with certain emergencies including the identification of escape routes and the location of fire equipment.

Signs specified as Category A signs have been accepted and registered by Technical Committee PH/8 as approved safety signs. Signs specified as Category B signs are judged by Technical Committee PH/8 to require the further education of intended viewers before they can be registered as approved safety signs. Signs specified as Category C signs are judged by Technical Committee PH/8 to require improvements to their graphical symbols as well as further education of intended viewers before they can be registered as approved safety signs.

This standard does not cover:

- a) road traffic signs;
- b) public information symbols;
- c) International Maritime Organisation symbols;
- d) labels provided under the Carriage of Dangerous Goods by Road Regulations 1996;
- e) labels provided under the International Maritime Dangerous Goods Code.

[View on Information Provider website](#)

This resource does not cite any other resources.

BS 5499-5:2002 Graphic Symbols And Signs - Safety Signs, Including Fire Safety Signs - Part 5: Signs With Specific Safety Meanings

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)