BS 6068-2-2.14:1984 Water quality - Part 2: Physical, chemical and biochemical methods - Section 2.24: Determination of biochemical oxygen demand after 5 days (BOD5): dilution and seeding method

View on Information Provider website {{ linkText }}

Abbreviation
BS 6068-2-2.14:1984
Valid from
31/12/1984

Information provider
British Standards Institution
Author
British Standards Institution
Information type
British Standard
Format
PDF

Cited By
This resource is cited by 1 document (show Citations)

Description

This standard provides a test method of assessing water quality by the determination of biochemical oxygen demand after five days. Applicable to all types of waters having biochemical oxygen demands of between 3 and 5,000 mg of oxygen per litre.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 6068-2-2.14:1984 Water quality - Part 2: Physical, chemical and biochemical methods - Section 2.24: Determination of biochemical oxygen demand after 5 days (BOD5): dilution and seeding method

This document is CITED BY:

- BS 6920-2.6:2000

  BS 6068-2-2.14:1984 is cited by BS 6920-2.6:2000 Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of water. Methods of test. The extraction of metals

Back

BS 6068-2-2.14:1984 Water quality - Part 2: Physical, chemical and biochemical methods - Section 2.24: Determination of biochemical oxygen demand after 5 days (BOD5): dilution and seeding method

Show what documents this resource is CITED BY | Show what documents this resource CITES

Description

This standard provides a test method of assessing water quality by the determination of biochemical oxygen demand after five days. Applicable to all types of waters having biochemical oxygen demands of between 3 and 5,000 mg of oxygen per litre.

View on Information Provider website

BS 6068-2-2.14:1984 Water quality - Part 2: Physical, chemical and biochemical methods - Section 2.24: Determination of biochemical oxygen demand after 5 days (BOD5): dilution and seeding method

Description

This standard provides a test method of assessing water quality by the determination of biochemical oxygen demand after five days. Applicable to all types of waters having biochemical oxygen demands of between 3 and 5,000 mg of oxygen per litre.

View on Information Provider website

This resource does not cite any other resources.

BS 6068-2-2.14:1984 Water quality - Part 2: Physical, chemical and biochemical methods - Section 2.24: Determination of biochemical oxygen demand after 5 days (BOD5): dilution and seeding method

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

Feedback

- Contact us
- Privacy policy
- Disclaimer
- Copyright

Feedback