

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

## BS 6068-2.20:1986 Water quality. Physical, chemical and biochemical methods - Method 2.20: Method for determination of cyanide by diffusion at pH 6

[View on Information Provider website](#)

{{ linkText }}

Abbreviation

BS 6068-2.20:1986

Valid from

28/02/1986

---

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

---

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

---

Description

This Standard describes a method for determination of cyanide by diffusion at pH 6, identifying free cyanide in photographic effluents and waste waters, in the range 10 g/l to 150 g/l.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## **BS 6068-2.20:1986 Water quality. Physical, chemical and biochemical methods - Method 2.20: Method for determination of cyanide by diffusion at pH 6**

This document is CITED BY:

- [AS/NZS 4020:2005](#)

BS 6068-2.20:1986 is cited by AS/NZS 4020:2005 Testing of products for use in contact with drinking water

- [BS 6920-2.6:2000](#)

BS 6068-2.20:1986 is cited by BS 6920-2.6:2000 Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of water. Methods of test. The extraction of metals

Back

## **BS 6068-2.20:1986 Water quality. Physical, chemical and biochemical methods - Method 2.20: Method for determination of cyanide by diffusion at pH 6**

Show what documents this resource is CITED BY

Show what documents this resource CITES

### **Description**

This Standard describes a method for determination of cyanide by diffusion at pH 6, identifying free cyanide in photographic effluents and waste waters, in the range 10 g/l to 150 g/l.

[View on Information Provider website](#)

[BS 6068-2.20:1986 Water quality. Physical, chemical and biochemical methods - Method 2.20: Method for](#)

Description

This Standard describes a method for determination of cyanide by diffusion at pH 6, identifying free cyanide in photographic effluents and waste waters, in the range 10 g/l to 150 g/l.

[View on Information Provider website](#)

This resource does not cite any other resources.

**BS 6068-2.20:1986 Water quality. Physical, chemical and biochemical methods - Method 2.20: Method for determination of cyanide by diffusion at pH 6**

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)