Skip to main content Skip to primary navigation	
Menu	
Home Home	
About this portal	
Latest updates	
Print Save Email	
Resource detail	
Citations	

BS 6200-3.1.5:1985, Sampling and analysis of iron, steel and other ferrous metals. Methods of analysis. Determination of aluminium. Ferrosilicon: atomic absorption spectrometric method

View on Information Provider website {{ linkText }}					
Abbreviation					
BS 6200-3.1.5:1985					
Valid from					
28/02/1985					
Information provider British Standards Institution					
Author					
British Standards Institution					
Information type					
British Standard					
Format					

Cited By <u>This resource is cited by 1 document (show Citations)</u>

Description

This International Standard specifies a method for the determination of the aluminium content of ferrosilicon by flame atomic absorption spectroscopy.

The Method is applicable to ferrosilicon having an aluminium content between 0.05% and 5% (m/m).

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 6200-3.1.5:1985, Sampling and analysis of iron, steel and other ferrous metals. Methods of analysis. Determination of aluminium. Ferrosilicon: atomic absorption spectrometric method

• NZS/BS 3601:1987

BS 6200-3.1.5:1985 is cited by NZS/BS 3601:1987 Specification for carbon steel pipes and tubes with specified room temperature properties for pressure purposes

Back

BS 6200-3.1.5:1985, Sampling and analysis of iron, steel and other ferrous metals. Methods of analysis. Determination of aluminium. Ferrosilicon: atomic absorption spectrometric method

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

This International Standard specifies a method for the determination of the aluminium content of ferrosilicon by flame atomic absorption spectroscopy.

The Method is applicable to ferrosilicon having an aluminium content between 0.05% and 5% (m/m).

View on Information Provider website

BS 6200-3.1.5:1985, Sampling and analysis of iron, steel and other ferrous metals. Methods of analysis. Determination of aluminium. Ferrosilicon: atomic absorption spectrometric method

Description

This International Standard specifies a method for the determination of the aluminium content of ferrosilicon by flame atomic absorption spectroscopy.

The Method is applicable to ferrosilicon having an aluminium content between 0.05% and 5% (m/m).

View on Information Provider website

This resource does not cite any other resources.

BS 6200-3.1.5:1985, Sampling and analysis of iron, steel and other ferrous metals. Methods of analysis. Determination of aluminium. Ferrosilicon: atomic absorption spectrometric method

This resource does not CITE any other resources.

	Back								
	Close								
Table of Contents									
	Print	<u>Save</u>	Email						

Print Save	<u>e</u> Email	
Feedback		
		-

- <u>Contact us</u>
- Privacy policy

- <u>Disclaimer</u><u>Copyright</u>

Feedback