

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)

[Citations](#)

BS 7777-1:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Guide to the general provisions applying for design, construction, installation and operation

[View on Information Provider website](#) [{{ linkText }}](#)

Abbreviation

BS 7777-1:1993

Valid from

15/06/1993

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

Cited By

[This resource is cited by 6 documents \(show Citations\)](#)

Cites

[This resource cites 3 documents \(show Citations\)](#)

Description

A British Standard for flat-bottomed, vertical, cylindrical storage tanks for low temperature service. The Standard is a guide to the general provisions applying for design, construction, installation, testing and operation.

Scope

Flat bottomed cylindrical tanks which meet the requirements of BS 7777 - 1: 1993.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [{{ linkText }}](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 7777-1:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Guide to the general provisions applying for design, construction, installation and operation

This document is CITED BY:

- [G14/VM1 \(Second Edition, Amendment 6\)](#)

BS 7777-1:1993 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 21/06/2007

- [G14/VM1 \(Second Edition, Amendment 5\)](#)

BS 7777-1:1993 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 21/06/2007

- [G14/VM1 \(Second Edition, Amendment 4\)](#)

BS 7777-1:1993 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 21/06/2007

- [G14/VM1 \(Second Edition, Amendment 3\)](#)

BS 7777-1:1993 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 21/06/2007

- [BS 7777-2:1993](#)

BS 7777-1:1993 is cited by BS 7777-2:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Specification for the design and construction of single, double and full containment metal tanks for the storage of liquefied gas at temperatures down to -165

- [BS 7777-3:1993](#)

BS 7777-1:1993 is cited by BS 7777-3:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Recommendations for the design and construction of prestressed and reinforced concrete tanks and tank foundations, and for the design and installation of tank

[Back](#)

BS 7777-1:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Guide to the general provisions applying for design, construction, installation and operation

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

A British Standard for flat-bottomed, vertical, cylindrical storage tanks for low temperature service. The Standard is a guide to the general provisions applying for design, construction, installation, testing and operation.

[View on Information Provider website](#)

[BS 7777-1:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Guide to the general provisions applying for design, construction, installation and operation](#)

Description

A British Standard for flat-bottomed, vertical, cylindrical storage tanks for low temperature service. The Standard is a guide to the general provisions applying for design, construction, installation, testing and operation.

[View on Information Provider website](#)

This resource cites:

BS 7777-1:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Guide to the general provisions applying for design, construction, installation and operation

This document CITES:

Other

- [BS 7777-2:1993](#)

BS 7777-1:1993 cites BS 7777-2:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Specification for the design and construction of single, double and full containment metal tanks for the storage of liquefied gas at temperatures down to -165

- [BS 7777-3:1993](#)

BS 7777-1:1993 cites BS 7777-3:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Recommendations for the design and construction of prestressed and reinforced concrete tanks and tank foundations, and for the design and installation of tank

- [BS 7777-4:1993](#)

BS 7777-1:1993 cites BS 7777-4:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service - Part 4: Specification for the design and construction of single containment tanks for the storage of liquid oxygen, liquid nitrogen and liquid argon

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

<input type="text"/>		
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

[Feedback](#)