

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)

[Citations](#)

BS 7777-4:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service - Part 4: Specification for the design and construction of single containment tanks for the storage of liquid oxygen, liquid nitrogen and liquid argon

[View on Information Provider website](#) [{{ linkText }}](#)

Abbreviation

BS 7777-4:1993

Valid from

15/06/1993

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies requirements for metallic cryogenic tanks of double wall single containment type operating in the range -180°C to -196°C.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS 7777-4:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service - Part 4: Specification for the design and construction of single containment tanks for the storage of liquid oxygen, liquid nitrogen and liquid argon

This document is CITED BY:

- [BS 7777-1:1993](#)

BS 7777-4:1993 is cited by BS 7777-1:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Guide to the general provisions applying for design, construction, installation and operation

- [BS 7777-3:1993](#)

BS 7777-4:1993 is cited by BS 7777-3:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Recommendations for the design and construction of prestressed and reinforced concrete tanks and tank foundations, and for the design and installation of tank

BS 7777-4:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service - Part 4: Specification for the design and construction of single containment tanks for the storage of liquid oxygen, liquid nitrogen and liquid argon

Description

This Standard specifies requirements for metallic cryogenic tanks of double wall single containment type operating in the range -180°C to -196°C.

[View on Information Provider website](#)

[BS 7777-4:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service - Part 4: Specification for the design and construction of single containment tanks for the storage of liquid oxygen, liquid nitrogen and liquid argon](#)

Description

This Standard specifies requirements for metallic cryogenic tanks of double wall single containment type operating in the range -180°C to -196°C.

[View on Information Provider website](#)

This resource does not cite any other resources.

BS 7777-4:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service - Part 4: Specification for the design and construction of single containment tanks for the storage of liquid oxygen, liquid nitrogen and liquid argon

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)