

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  
  

[Save](#)

[Resource detail](#)

[Citations](#)

## BS 84:2007 Parallel screw threads of Whitworth form. Requirements

[View on Information Provider website](#)

Abbreviation

BS 84:2007

Valid from

30/11/2007

---

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

---

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

**Description**

This British Standard specifies limits of sizes, and tolerances, for single start parallel screw threads of Whitworth form, for general engineering use.

This standard specifies the following thread series:

1. a coarse thread series, the British Standard Whitworth (B.S.W.) series, with nominal diameters in the range 1/8 in to 6 in.
2. a fine thread series, the British Standard fine (B.S.F.) series, with nominal diameters in the range 3/16 in to 4 1/4 in.
3. a supplementary selected thread (WHIT. S.) series with nominal diameters from 1/4 in to 7 in.
4. a truncated Whitworth form series.

This British Standard is intended for use with BS 919-2, which specifies the corresponding screw gauges.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## BS 84:2007 Parallel screw threads of Whitworth form. Requirements

This document is CITED BY:

- [BS 10:2009](#)

BS 84:2007 is cited by BS 10:2009 Specification for flanges and bolting for pipes, valves and fittings

[Back](#)

## BS 84:2007 Parallel screw threads of Whitworth form. Requirements

[Show what documents this resource is CITED BY](#)

[Show what documents this resource CITES](#)

### Description

This British Standard specifies limits of sizes, and tolerances, for single start parallel screw threads of Whitworth form, for general engineering use.

This standard specifies the following thread series:

1. a coarse thread series, the British Standard Whitworth (B.S.W.) series, with nominal diameters in the range 1/8 in to 6 in.
2. a fine thread series, the British Standard fine (B.S.F.) series, with nominal diameters in the range 3/16 in to 4 1/4 in.
3. a supplementary selected thread (WHIT. S.) series with nominal diameters from 1/4 in to 7 in.
4. a truncated Whitworth form series.

This British Standard is intended for use with BS 919-2, which specifies the corresponding screw gauges.

[View on Information Provider website](#)

### [BS 84:2007 Parallel screw threads of Whitworth form. Requirements](#)

### Description

This British Standard specifies limits of sizes, and tolerances, for single start parallel screw threads of Whitworth form, for general engineering use.

This standard specifies the following thread series:

1. a coarse thread series, the British Standard Whitworth (B.S.W.) series, with nominal diameters in the range 1/8 in to 6 in.
2. a fine thread series, the British Standard fine (B.S.F.) series, with nominal diameters in the range 3/16 in to 4 1/4 in.
3. a supplementary selected thread (WHIT. S.) series with nominal diameters from 1/4 in to 7 in.
4. a truncated Whitworth form series.

This British Standard is intended for use with BS 919-2, which specifies the corresponding screw gauges.

[View on Information Provider website](#)

This resource does not cite any other resources.

## BS 84:2007 Parallel screw threads of Whitworth form. Requirements

This resource does not CITE any other resources.

[Back](#)

[Close](#)

### Table of Contents

[Print](#)

[Save](#)

[Email](#)

[Feedback](#)

--	--	--

--

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)