Skip to main content Skip to primary navigation	
Menu	
 Home Home About this portal Latest updates	
Print Save Email	
Resource detail	

BS EN 10025-3:2004 Hot rolled products of structural steels. Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation

Citations

BS EN 10025-3:2004

Valid from

17/11/2004

Information provider

Standards New Zealand

Author

British Standards Institution, European Standardization Organisations

Information type

European Standard

Format

PDF

Cited By

This resource is cited by 3 documents (show Citations)

Description

This document, in addition to part 1, specifies requirements for flat and long products of hot rolled weldable fine grain structural steels in the normalized/normalized rolled delivery condition in the grades and qualities to chemical composition and mechanical properties.

Scope

Part 3 of this document, in addition to part 1, specifies requirements for flat and long products of hot rolled weldable fine grain structural steels in the normalized/normalized rolled delivery condition in the grades and qualities given in Tables 2 to 4 (chemical composition) and Tables 5 to 7 (mechanical properties) in thickness \leq 250 mm for grades S275, S355 and S420 and in thickness \leq 200 mm for grade S460.

In addition to EN 10025-1:2004 the steels specified in this document are especially intended for use in heavily loaded parts of welded structures such as, bridges, flood gates, storages tanks, water supply tanks, etc., for service at ambient and low temperatures.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS EN 10025-3:2004 Hot rolled products of structural steels. Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels

This document is CITED BY:

• BS EN 115-1:2008

BS EN 10025-3:2004 is cited by BS EN 115-1:2008 Safety of escalators and moving walks Part 1: Construction and installation

• BS EN 81-50:2014

BS EN 10025-3:2004 is cited by BS EN 81-50:2014 Safety rules for the construction and installation of lifts. Examinations and tests. Design rules, calculations, examination and tests of lift components

NZS 3404 Parts 1 and 2:1997

BS EN 10025-3:2004 is cited by NZS 3404 Parts 1 and 2:1997 Steel structures standard



BS EN 10025-3:2004 Hot rolled products of structural steels. Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This document, in addition to part 1, specifies requirements for flat and long products of hot rolled weldable fine grain structural steels in the normalized/normalized rolled delivery condition in the grades and qualities to chemical composition and mechanical properties.

View on Information Provider website

BS EN 10025-3:2004 Hot rolled products of structural steels. Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels

Description

This document, in addition to part 1, specifies requirements for flat and long products of hot rolled weldable fine grain structural steels in the normalized/normalized rolled delivery condition in the grades and qualities to chemical composition and mechanical properties.

View on Information Provider website

This resource does not cite any other resources.

BS EN 10025-3:2004 Hot rolled products of structural steels. Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels

This resource does not CITE any other resources.

Back
Close

Table of Contents

Print Save Email		
<u>Feedback</u>		
• Contact us		
 Privacy policy 		
• <u>Disclaimer</u>		
 Copyright 		

<u>Feedback</u>