

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)

[Citations](#)

## BS EN 10305-3:2010 Steel tubes for precision applications. Technical delivery conditions - Part 3: Welded cold sized tubes

[View on Information Provider website](#)

Abbreviation

BS EN 10305-3:2010

Valid from

28/02/2010

Replaces

---

Information provider

British Standards Institution

Author

British Standards Institution

European Committee for Standardization

Information type

British Standard

Format

PDF

---

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

Description

BS EN 10305-3 is the standard that specifies the technical delivery conditions for welded cold sized steel tubes of circular cross section for precision applications with specified outside diameter  $D \leq 193,7$  mm.

Part 3 of BS EN 10305 may also be applied to other types (excluding square and rectangular) of cross section. Tubes according to this document are characterized by having precisely defined tolerances on dimensions and a specified maximum surface roughness. Typical fields of application are in the vehicle, furniture and general engineering industries.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

**Note:** BS EN 10305-3:2010 is the British Standards version of the European Standard EN 10305-3:2010.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

**Note:** BS EN 10305-3:2010 is the British Standards version of the European Standard EN 10305-3:2010.

This resource is cited by:

## BS EN 10305-3:2010 Steel tubes for precision applications. Technical delivery conditions - Part 3: Welded cold sized tubes

This document is CITED BY:

- [BS EN 81-20:2014](#)

BS EN 10305-3:2010 is cited by BS EN 81-20:2014 Safety rules for the construction and installation of lifts. Lifts for the transport of persons and goods. Part 20: Passenger and goods passenger lifts

Back

## BS EN 10305-3:2010 Steel tubes for precision applications. Technical delivery conditions - Part 3: Welded cold sized tubes

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

BS EN 10305-3 is the standard that specifies the technical delivery conditions for welded cold sized steel tubes of circular cross section for precision applications with specified outside diameter  $D \leq 193,7$  mm.

Part 3 of BS EN 10305 may also be applied to other types (excluding square and rectangular) of cross section. Tubes according to this document are characterized by having precisely defined tolerances on dimensions and a specified maximum surface roughness. Typical fields of application are in the vehicle, furniture and general engineering industries.

[View on Information Provider website](#)

[BS EN 10305-3:2010 Steel tubes for precision applications. Technical delivery conditions - Part 3: Welded cold sized tubes](#)

### Description

BS EN 10305-3 is the standard that specifies the technical delivery conditions for welded cold sized steel tubes of circular cross section for precision applications with specified outside diameter  $D \leq 193,7$  mm.

Part 3 of BS EN 10305 may also be applied to other types (excluding square and rectangular) of cross section. Tubes according to this document are characterized by having precisely defined tolerances on dimensions and a specified maximum surface roughness. Typical fields of application are in the vehicle, furniture and general engineering industries.

[View on Information Provider website](#)

This resource does not cite any other resources.

## BS EN 10305-3:2010 Steel tubes for precision applications. Technical delivery conditions - Part 3: Welded cold sized tubes

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)