

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

BS EN 12600:2002 Glass in building. Pendulum test. Impact test method and classification for flat glass

[View on Information Provider website](#)

Abbreviation

BS EN 12600:2002

Valid from

09/01/2003

Information provider

British Standards Institution

Author

British Standards Institution

Information type

British Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

BS EN 12600:2002 specifies a pendulum impact test method for single flat panes of glass for use in buildings. The test is intended to classify flat glass products into three principal classes by performance under impact and by mode of breakage.

The classification system in this European Standard relates to increasing personal safety by:

- the reduction of cutting and piercing injuries to persons
- the containment characteristics of the material.

This standard does not specify requirements for applications, nor does it specify requirements for durability.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS EN 12600:2002 Glass in building. Pendulum test. Impact test method and

classification for flat glass

This document is CITED BY:

- [BS EN 81-20:2014](#)

BS EN 12600:2002 is cited by BS EN 81-20:2014 Safety rules for the construction and installation of lifts. Lifts for the transport of persons and goods. Part 20: Passenger and goods passenger lifts

Back

BS EN 12600:2002 Glass in building. Pendulum test. Impact test method and classification for flat glass

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

BS EN 12600:2002 specifies a pendulum impact test method for single flat panes of glass for use in buildings. The test is intended to classify flat glass products into three principal classes by performance under impact and by mode of breakage.

The classification system in this European Standard relates to increasing personal safety by:

- the reduction of cutting and piercing injuries to persons
- the containment characteristics of the material.

This standard does not specify requirements for applications, nor does it specify requirements for durability.

[View on Information Provider website](#)

[BS EN 12600:2002 Glass in building. Pendulum test. Impact test method and classification for flat glass](#)

Description

BS EN 12600:2002 specifies a pendulum impact test method for single flat panes of glass for use in buildings. The test is intended to classify flat glass products into three principal classes by performance under impact and by mode of breakage.

The classification system in this European Standard relates to increasing personal safety by:

- the reduction of cutting and piercing injuries to persons
- the containment characteristics of the material.

This standard does not specify requirements for applications, nor does it specify requirements for durability.

[View on Information Provider website](#)

This resource does not cite any other resources.

BS EN 12600:2002 Glass in building. Pendulum test. Impact test method and classification for flat glass

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)