Skip to main content S	<u>kip to primary nav</u>	<u>rigation</u>	
Me	enu		
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u> 			
Print Save Email	_		
Citations			

BS EN 14399-4:2015 High-strength structural bolting assemblies for preloading. System HV. Hexagon bolt and nut assemblies

View on Information Provider website {{ linkText }}

Abbreviation BS EN 14399-4:2015 Valid from 01/01/2015

Information provider Standards New Zealand Author British Standards Institution, European Standardization Organisations Information type European Standard Format PDF

Cited By <u>This resource is cited by 2 documents (show Citations)</u>

Description

This European Standard specifies the requirements for assemblies of high-strength structural bolts and nuts of system HV suitable for preloaded joints with large widths across flats, thread sizes M 12 to M 36 and property classes 10.9/10.

Bolt and nut assemblies conforming to this standard have been designed to allow preloading and to obtain ductility predominantly by plastic deformation of the engaged threads.

Bolt and nut assemblies according to this standard include washers according to EN 14399-6 or to EN 14399-5 (under the nut only).

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website	{{ linkText }}
--------------------------------------	----------------

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

BS EN 14399-4:2015 High-strength structural bolting assemblies for preloading. System HV. Hexagon bolt and nut assemblies

• BS EN 14399-1:2015

BS EN 14399-4:2015 is cited by BS EN 14399-1:2015 High-strength structural bolting assemblies for preloading. General requirements

• BS EN 14399-2:2015

BS EN 14399-4:2015 is cited by BS EN 14399-2:2015 High-strength structural bolting assemblies for preloading. Suitability for preloading

Back

BS EN 14399-4:2015 High-strength structural bolting assemblies for preloading. System HV. Hexagon bolt and nut assemblies

Show what documents this resource is CITED BY Show what doe

Show what documents this resource CITES

Description

This European Standard specifies the requirements for assemblies of high-strength structural bolts and nuts of system HV suitable for preloaded joints with large widths across flats, thread sizes M 12 to M 36 and property classes 10.9/10.

Bolt and nut assemblies conforming to this standard have been designed to allow preloading and to obtain ductility predominantly by plastic deformation of the engaged threads.

Bolt and nut assemblies according to this standard include washers according to EN 14399-6 or to EN 14399-5 (under the nut only).

View on Information Provider website

BS EN 14399-4:2015 High-strength structural bolting assemblies for preloading. System HV. Hexagon bolt and nut assemblies

Description

This European Standard specifies the requirements for assemblies of high-strength structural bolts and nuts of system HV suitable for preloaded joints with large widths across flats, thread sizes M 12 to M 36 and property classes 10.9/10.

Bolt and nut assemblies conforming to this standard have been designed to allow preloading and to obtain ductility predominantly by plastic deformation of the engaged threads.

Bolt and nut assemblies according to this standard include washers according to EN 14399-6 or to EN 14399-5 (under the nut only).

View on Information Provider website


This resource does not cite any other resources.

BS EN 14399-4:2015 High-strength structural bolting assemblies for preloading. System HV. Hexagon bolt and nut assemblies

This resource does not CITE any other resources.

Back	
Close	

Table of Contents



Feedback