Skip to main content Skip to primary navigation	
Menu	
Home HomeAbout this portalLatest updates	
Print Save Email	
Resource detail	

BU438 - Using a Scala Penetrometer (replaces BU212 - Soil Testing)

View on Information Provider website {{ linkText }}

Abbreviation
BU438 (replaces BU212 Soil Testing)
Valid from
01/08/2003

Information provider
BRANZ Limited
Information type
BRANZ Bulletin
Format
PDF, Hard copy

Cited By

Citations

This resource is cited by 1 document (show Citations)

Description

BRANZ Bulletin 212 - Soil Testing, has been withdrawn and has been replaced with BRANZ Bulletin 438 - Using a Scala Penetrometer

This bulletin is a guide to using a scala penetrometer to determine the ground conditions of a particular site where there are concerns regarding bearing capacity.

The main requirement is that the ultimate bearing pressure of the soil supporting the foundations is not less than 300 kPa. Where the groundbearing capacity does not meet the 300 kPa requirement, the foundations, but not necessarily the remainder of the building, must be specifically designed.

The bulletin covers:

- scala penetrometer equipment
- test positions
- how to use a scala penetrometer
- · soil suitability
- soil examination
- encountering problems
- need for specific design.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

BU438 - Using a Scala Penetrometer (replaces BU212 - Soil Testing)

This document is CITED BY:

NZS 3604:1990

BU438 (replaces BU212 Soil Testing) is cited by NZS 3604:1990 Code of practice for light timber frame buildings not requiring specific design

Back

BU438 - Using a Scala Penetrometer (replaces BU212 - Soil Testing)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

BRANZ Bulletin 212 - Soil Testing, has been withdrawn and has been replaced with BRANZ Bulletin 438 - Using a Scala Penetrometer

This bulletin is a guide to using a scala penetrometer to determine the ground conditions of a particular site where there are concerns regarding bearing capacity.

The main requirement is that the ultimate bearing pressure of the soil supporting the foundations is not less than 300 kPa. Where the groundbearing capacity does not meet the 300 kPa requirement, the foundations, but not necessarily the remainder of the building, must be specifically designed.

The bulletin covers:

- scala penetrometer equipment
- test positions
- how to use a scala penetrometer
- soil suitability
- · soil examination
- encountering problems
- need for specific design.

View on Information Provider website

BU438 - Using a Scala Penetrometer (replaces BU212 - Soil Testing)

Description

BRANZ Bulletin 212 - Soil Testing, has been withdrawn and has been replaced with BRANZ Bulletin 438 - Using a Scala Penetrometer

This bulletin is a guide to using a scala penetrometer to determine the ground conditions of a particular site where there are concerns regarding bearing capacity.

The main requirement is that the ultimate bearing pressure of the soil supporting the foundations is not less than 300 kPa. Where the groundbearing capacity does not meet the 300 kPa requirement, the foundations, but not necessarily the remainder of the building, must be specifically designed.

The bulletin covers:

- scala penetrometer equipment
- test positions
- how to use a scala penetrometer
- soil suitability
- soil examination
- · encountering problems

• need for specific design.

View on Information Provider website

This resource does not cite any other resources.

BU438 - Using a Scala Penetrometer (replaces BU212 - Soil

Testing) This resource does not CITE any other resources. Back Close **Table of Contents** Print Save Email <u>Feedback</u>

- Contact us
- **Privacy policy**
- <u>Disclaimer</u>
- Copyright

Feedback