

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI)

[View on Information Provider website](#) [Download this resource \(PDF, 4.3MB\)](#)

This resource is no longer current.

Abbreviation

C/AS3

Version

First Edition

Valid to

15/02/2013

Valid from

10/04/2012

Information provider

Ministry of Business, Innovation and Employment

Information type

Acceptable Solution

Format

PDF

Cites

[This resource cites 29 documents \(show Citations\)](#)

Description

The Building Code clauses C1 to C6 Protection from Fire relate to protecting people in and around buildings, limiting fire spread and helping firefighting and rescue. This Acceptable Solution can be used for establishing compliance with those clauses for risk group SI. It is one of a suite of Acceptable Solutions C/AS1 to C/AS7, each of them corresponding to a risk group.

Scope

The scope of this Acceptable Solution is restricted to risk group SI. This covers buildings or parts of buildings where people are unable to self-evacuate without assistance through requiring special care or treatment, or they are restrained or their liberties are restricted.

This will include the following provided they are no more than 20 storeys high (from ground level):

- a) Hospitals, including outpatients and day procedures (excluding special care facilities as described in Paragraphs 1.1.2 c) and 1.1.3.
- b) Medical centres and dental practices where sedation is administered or treatment where people are unable to self-evacuate without assistance (eg, dialysis or chemotherapy)
- c) Aged care facilities
- d) Residential care in an institution and hospices, and
- e) Police Stations and Court buildings with detention facilities.
- f) Houses used for care in the community.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [Download this resource \(PDF, 4.3MB\)](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI)

This document is not CITED BY any other resources:

[Back](#)

Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

The Building Code clauses C1 to C6 Protection from Fire relate to protecting people in and around buildings, limiting fire spread and helping firefighting and rescue. This Acceptable Solution can be used for establishing compliance with those clauses for risk group SI. It is one of a suite of Acceptable Solutions C/AS1 to C/AS7, each of them corresponding to a risk group.

[View on Information Provider website](#) [Download this resource \(PDF, 4.3MB\)](#)

[Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided \(Risk Group SI\)](#)

This resource is no longer current.

Description

The Building Code clauses C1 to C6 Protection from Fire relate to protecting people in and around buildings, limiting fire spread and helping firefighting and rescue. This Acceptable Solution can be used for establishing compliance with those clauses for risk group SI. It is one of a suite of Acceptable Solutions C/AS1 to C/AS7, each of them corresponding to a risk group.

[View on Information Provider website](#) [Download this resource \(PDF, 4.3MB\)](#)

This resource cites:

Acceptable Solution C/AS3: Buildings Where Care or Detention is Provided (Risk Group SI)

This document CITES:

New Zealand Standards

- [AS/NZS 1668.1:1998](#)

C/AS3 cites AS/NZS 1668.1:1998 The use of ventilation and air conditioning in buildings - Fire and smoke control in multi-compartment buildings from 10/04/2012

- [AS/NZS 2918:2001](#)

C/AS3 cites AS/NZS 2918:2001 Domestic solid fuel burning appliances - Installation from 10/04/2012

- [NZS 4232.2:1988](#)

C/AS3 cites NZS 4232.2:1988 Performance criteria for fire resisting enclosures - Fire resisting glazing systems from 10/04/2012

- [NZS 4332:1997](#)

C/AS3 cites NZS 4332:1997 Non-domestic passenger and goods lifts from 10/04/2012

- [NZS 4510:2008](#)

C/AS3 cites NZS 4510:2008 Fire hydrant systems for buildings from 10/04/2012

- [NZS 4512:2010](#)

C/AS3 cites NZS 4512:2010 Fire detection and alarm systems in buildings from 10/04/2012

- [NZS 4515:2009](#)

C/AS3 cites NZS 4515:2009 Fire sprinkler systems for life safety in sleeping occupancies (up to 2000 square metres) from 10/04/2012

- [NZS 4520:2010](#)

C/AS3 cites NZS 4520:2010 Fire resistant doorsets from 10/04/2012

- [NZS 4541:2007](#)

C/AS3 cites NZS 4541:2007 Automatic fire sprinkler systems from 10/04/2012

- [NZS 5261:2003](#)

C/AS3 cites NZS 5261:2003 Gas installation from 10/04/2012

- [NZS/AS 1530.1:1994 \(R2016\)](#)

C/AS3 cites NZS/AS 1530.1:1994 (R2016) Methods for fire tests on building materials, components and structures - Part 1: Combustibility test for materials from 10/04/2012

- [NZS/BS 476.21:1987](#)

C/AS3 cites NZS/BS 476.21:1987 Fire tests on building materials and structures - Methods for determination of the fire resistance of loadbearing elements of construction from 10/04/2012

- [NZS/BS 476.22:1987](#)

C/AS3 cites NZS/BS 476.22:1987 Fire tests on building materials and structures -Methods for determination of the fire resistance of non-loadbearing elements of construction from 10/04/2012

Australian Standards

- [AS 1366.1-1992 \(Reconfirmed in 2018\)](#)

C/AS3 cites AS 1366.1-1992 (R2018) Rigid cellular plastics sheets for thermal insulation - Rigid cellular polyurethane (RC/PUR) from 10/04/2012

- [AS 1366.2-1992 \(Reconfirmed in 2018\)](#)

C/AS3 cites AS 1366.2-1992 (R2018) Rigid cellular plastics sheets for thermal insulation - Rigid cellular polyisocyanurate (RC/PIR) from 10/04/2012

- [AS 1366.3-1992 \(Reconfirmed in 2018\)](#)

C/AS3 cites AS 1366.3-1992 (R2018) Rigid cellular plastics sheets for thermal insulation - Rigid cellular polystyrene - moulded (RC/PS-M) from 10/04/2012

- [AS 1366.4-1989 \(Reconfirmed in 2018\)](#)

C/AS3 cites AS 1366.4-1989 (R2018) Rigid cellular plastics sheets for thermal insulation - Rigid cellular polystyrene - extruded (RC/PS-E) from 10/04/2012

- [AS 1530.2-1993 \(R2016\)](#)

C/AS3 cites AS 1530.2-1993 (R2016) Methods for fire tests on building materials, components and

structures. Part 2: Test for flammability of materials from 10/04/2012

- [AS 1530.4-2005](#)

C/AS3 cites AS 1530.4-2005 Methods for fire tests on building materials, components and structures. Part 4: Fire-resistance test of elements of construction from 10/04/2012

- [AS 1691-1985](#)

C/AS3 cites AS 1691-1985 Domestic oil-fired appliances - installation from 10/04/2012

- [AS 4072.1-2005 \(R2016\)](#)

C/AS3 cites AS 4072.1-2005 (R2016) Components for the protection of openings in fire-resistant separating elements. Part 1: Service penetrations and control joints from 10/04/2012

Other

- [ASTM D2898-10](#)

C/AS3 cites ASTM D2898-10 Standard Practice for Accelerated Weathering of Fire-retardant Treated Wood for Fire Testing from 10/04/2012

- [BS EN 12101-1:2005](#)

C/AS3 cites BS EN 12101-1:2005 Smoke and heat control systems - Specification for smoke barriers from 10/04/2012

- [BS EN 1363-1:1999](#)

C/AS3 cites BS EN 1363-1:1999 Fire Resistance Tests - Part 1: General Requirements from 10/04/2012

- [HSNO 1996 No 30](#)

C/AS3 cites Hazardous Substances and New Organisms Act 1996 from 10/04/2012

- [ISO 5660-1:2002](#)

C/AS3 cites ISO 5660-1:2002 Reaction-to-fire tests - Heat release, smoke production and mass loss rate - Heat release rate (cone calorimeter method) from 10/04/2012

- [ISO 9239:1:2010](#)

C/AS3 cites ISO 9239-1:2010 Reaction to fire tests for floorings - Determination of the burning behaviour using a radiant heat source from 10/04/2012

- [NFPA 285:1998](#)

C/AS3 cites NFPA 285: 1998 Standard method of test for the evaluation of flammability characteristics of exterior non-load-bearing wall assemblies containing components using the intermediate scale, multi-storey test apparatus from 10/04/2012

- [SR 2006/123](#)

C/AS3 cites Fire Safety and Evacuation of Buildings Regulations 2006 from 10/04/2012

[Back](#)

[Close](#)

Table of Contents

[Print](#)

[Save](#)

[Email](#)

[Feedback](#)

<input type="text"/>		
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)