

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

InnoClad and InnoScreen

[View on Information Provider website](#) [Download this resource \(PDF, 282KB\)](#) `{{ linkText }}`

Abbreviation

CM40236-I01-R00

Valid from

21/12/2018

Information provider

Ministry of Business, Innovation and Employment

Author

Innowood Australia Pty Ltd

Information type

Product Certificate (CodeMark)

Format

PDF

Description

Innowood is a Composite Wood material, extruded into various profiles including those for cladding, screens and louvres. Innowood profiles are pre-finished and suitable for external use in either Innovative or Premium colouring systems.

Trade names:

- InnoClad
- InnoScreen

Scope

- This Certificate of Conformity does not address any claims of compliance against clauses of the NZBC relating to fire.
- Ultimate limit state pressure of 2.8kPa.
- Nail guns must not be used for fixing of any Innowood product.
- Boards subject to reflective heat must be installed at max centres of 225mm until 1200mm from the reflective source.
- Secret Fix Shiplap Profiles may only be installed vertically. Other shiplap profiles may be installed horizontally and vertically.
- All InnoClad & InnoScreen profiles must have minimum 3 fixing points and InnoScreen profiles must not overhang more than 200mm. Inserts must be cut off 50mm from the edge of the profile end.
- Must be installed in accordance with the manuals detailed in A2 below, by a suitably licenced tradesperson.
- Nothing in this document should be construed as a warranty or guarantee by CMI, and the only applicable warranties will be those provided by the Certificate Holder.
- The certificate holder must maintain compliance with the conditions set out in Section 15 of the Building (Product Certification) Regulations 2008

[View on Information Provider website](#) [Download this resource \(PDF, 282KB\)](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

InnoClad and InnoScreen

This document is not CITED BY any other resources:

InnoClad and InnoScreen

Description

Innowood is a Composite Wood material, extruded into various profiles including those for cladding, screens and louvres. Innowood profiles are pre-finished and suitable for external use in either Innovative or Premium colouring systems.

Trade names:

- InnoClad
- InnoScreen

[View on Information Provider website](#) [Download this resource \(PDF, 282KB\)](#)

[InnoClad and InnoScreen](#)

Description

Innowood is a Composite Wood material, extruded into various profiles including those for cladding, screens and louvres. Innowood profiles are pre-finished and suitable for external use in either Innovative or Premium colouring systems.

Trade names:

- InnoClad
- InnoScreen

[View on Information Provider website](#) [Download this resource \(PDF, 282KB\)](#)

This resource does not cite any other resources.

InnoClad and InnoScreen

This resource does not CITE any other resources.

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)