

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

Nuraply 3PM Torch-on Membrane for Roofs and Decks

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#) {{ linkText }}

Abbreviation

CM70032

Valid from

21/04/2020

Information provider

Ministry of Business, Innovation and Employment

Author

Bureau Veritas

Information type

Product Certificate (CodeMark)

Format

PDF

Description

Nuraply 3PM system is a tough, reinforced, double-layer, torch-on bituminous waterproofing membrane system for new and existing roofs and decks. Nuraply 3PM capsheet is used with one of the Basesheet options:

- Nuraply 3PB;
- Nuraply 3PB-SA;
- Nuraply 3PV;
- Nuraply 3PV-SA;

The Nuraply 3PM torch-on membrane system may also incorporate Enertherm PIR insulation board.

The Nuraply 3PM double layer torch on membrane system provides a durable waterproofing system for installation by approved installers, on new and existing roofs and decks of any size.

Scope

1. Nuraply 3PM torch-on membrane shall be installed in accordance with the Nuraply 3PM Roofing Membrane Installation Manual Edition 1 March 2019, by a Nuralite Waterproofing Ltd approved installer (see www.nuralite.co.nz/applicator to find an approved installer).
2. Where a Nuraply membrane is applied to a timber substrate the timber shall be preservative treated. Such preservative treatments shall not be LOSP (light organic solvent preservative) or CuN (copper nitrate).
3. Nuraply 3PM torch-on membrane is suitable only for light maintenance foot traffic.
4. Nuraply 3PM torch-on membrane shall have a minimum finished fall (excluding gutters) of 1:80.
5. It may be installed on a cold roof with insulation installed below the substrate or as a warm roof (known as Nuratherm) with Enertherm insulation installed above the substrate.
6. The system shall only be used with the following substrates:

- H3.2 treated Timber, including plywood sheets and reconstituted wood panels (Strandboard), timber substrates complying with AS/NZ 2269:2012 (directly or with Enertherm PIR Boards between) with treated timber trim, battens and framing where timber is detailed and Nuralite product is directly applied
- Concrete substrates complying with NZS 3101:2006 (directly or with Enertherm PIR Boards between)
- NPM 900 metal tray decks with Enertherm PIR boards between.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Nuraply 3PM Torch-on Membrane for Roofs and Decks

This document is not CITED BY any other resources:

[Back](#)

Nuraply 3PM Torch-on Membrane for Roofs and Decks

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Nuraply 3PM system is a tough, reinforced, double-layer, torch-on bituminous waterproofing membrane system for new and existing roofs and decks. Nuraply 3PM capsheet is used with one of the Basesheet options:

- Nuraply 3PB;
- Nuraply 3PB-SA;
- Nuraply 3PV;
- Nuraply 3PV-SA;

The Nuraply 3PM torch-on membrane system may also incorporate Enertherm PIR insulation board.

The Nuraply 3PM double layer torch on membrane system provides a durable waterproofing system for installation by approved installers, on new and existing roofs and decks of any size.

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#)

[Nuraply 3PM Torch-on Membrane for Roofs and Decks](#)

Description

Nuraply 3PM system is a tough, reinforced, double-layer, torch-on bituminous waterproofing membrane system for new and existing roofs and decks. Nuraply 3PM capsheet is used with one of the Basesheet options:

- Nuraply 3PB;
- Nuraply 3PB-SA;
- Nuraply 3PV;
- Nuraply 3PV-SA;

The Nuraply 3PM torch-on membrane system may also incorporate Enertherm PIR insulation board.

The Nuraply 3PM double layer torch on membrane system provides a durable waterproofing system for installation by approved installers, on new and existing roofs and decks of any size.

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#)

This resource does not cite any other resources.

Nuraply 3PM Torch-on Membrane for Roofs and Decks

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)