

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

IBS RigidRAP

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#)

Abbreviation

CM70035

Valid from

03/12/2019

Information provider

Ministry of Business, Innovation and Employment

Author

Bureau Veritas

Information type

Product Certificate (CodeMark)

Format

PDF

Description

IBS RigidRAP is an 8mm OSB panel product faced with a laminated synthetic building wrap.

IBS RigidRAP is suitable for use as a bracing element and/or rigid air barrier in conjunction with a ventilated cavity. It is suitable for use on new and existing timber framed buildings founded on either a concrete floor slab or timber subfloor. When all joints are sealed with a flashing tape, no flexible wall underlay is required.

Scope

IBS RigidRAP must be specified, installed and stored in accordance with the IBS RigidRAP Design & Installation Guide (December 2019 V1.1).

This certification covers the use of IBS RigidRAP as a rigid air barrier:

- in new buildings that comply with NZS3604:2011 (as modified by B1/AS1 Amd 18) or have been specifically designed in accordance with NZS3603:1993 and AS/NZS 1170:2002 (as modified by B1/VM1 Amd 18) or
- in existing buildings where the specifier and installer have assured themselves that the existing structure is adequate for the intended use; and
- where the cladding system incorporates a ventilated cavity and wall cladding that complies with E2/AS1 or is covered by a relevant CodeMark certificate

This certification also covers the use of IBS RigidRAP as a bracing element in buildings designed in accordance with NZS3604:2011 (as modified by B1/AS1 Amd 18)

IBS RigidRAP must not be exposed to the weather or ultraviolet light for more than 90 days during construction.

Only flashing tapes listed in the IBS RigidRAP Design & Installation Guide may be used.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

IBS RigidRAP

This document is not CITED BY any other resources:

IBS RigidRAP

Description

IBS RigidRAP is an 8mm OSB panel product faced with a laminated synthetic building wrap.

IBS RigidRAP is suitable for use as a bracing element and/or rigid air barrier in conjunction with a ventilated cavity. It is suitable for use on new and existing timber framed buildings founded on either a concrete floor slab or timber subfloor. When all joints are sealed with a flashing tape, no flexible wall underlay is required.

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#)

[IBS RigidRAP](#)

Description

IBS RigidRAP is an 8mm OSB panel product faced with a laminated synthetic building wrap.

IBS RigidRAP is suitable for use as a bracing element and/or rigid air barrier in conjunction with a ventilated cavity. It is suitable for use on new and existing timber framed buildings founded on either a concrete floor slab or timber subfloor. When all joints are sealed with a flashing tape, no flexible wall underlay is required.

[View on Information Provider website](#) [Download this resource \(PDF, 226KB\)](#)

This resource does not cite any other resources.

IBS RigidRAP

This resource does not CITE any other resources.

Table of Contents

 [Save](#)

[Feedback](#)

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)