Skip to main content Skip to primary navigation	
Menu	
 Home Home About this portal Latest updates	
Print Save Email	_
Resource detail	

Drains from hot water cylinder relief valves

View on Information Provider website {{ linkText }}

Valid from 01/04/2010

Information provider
Ministry of Business, Innovation and Employment
Information type
Section 175 guidance
Format

Website

Description

Citations

Guidance about the function of pressure relief valves in plumbing and drainage systems, including discussion of the requirements in Acceptable Solution G12/AS1.

The guidance was released after MBIE received several enquiries about drain lines from pressure relief and temperature and pressure relief valves discharging to a PVC-U plumbing and drainage system. In some cases, the PVC-U pipes and stacks melted causing a failure of the plumbing system and extensive damage.

For assistance with locating previous versions, please contact the information provider.

<u>View on Information Provider website</u> {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Drains from hot water cylinder relief valves

This document is not CITED BY any other resources:

Back

Drains from hot water cylinder relief valves

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Guidance about the function of pressure relief valves in plumbing and drainage systems, including discussion of the requirements in Acceptable Solution G12/AS1.

The guidance was released after MBIE received several enquiries about drain lines from pressure relief and temperature and pressure relief valves discharging to a PVC-U plumbing and drainage system. In some cases, the PVC-U pipes and stacks melted causing a failure of the plumbing system and extensive damage.

View on Information Provider website

Drains from hot water cylinder relief valves

Description

Guidance about the function of pressure relief valves in plumbing and drainage systems, including discussion of the requirements in Acceptable Solution G12/AS1.

The guidance was released after MBIE received several enquiries about drain lines from pressure relief and temperature and pressure relief valves discharging to a PVC-U plumbing and drainage system. In some cases, the PVC-U pipes and stacks melted causing a failure of the plumbing system and extensive damage.

View on Information Provider website

This resource does not cite any other resources.

Drains from hot water cylinder relief valves

This resource does not CITE any other resources.



Table of Contents

Print Save Email		
<u>Feedback</u>		
	_	_
 Contact us 		
 Privacy policy 		
 <u>Disclaimer</u> 		
 Copyright 		
		_

<u>Feedback</u>