Skip to main content Skip to primary navigation Menu
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u>
Print Save Email
Resource detail Citations
Test Procedure for Coating and Jointing Systems for Flush Finished Fibre Cement Sheet Cladding, EM4 (2005)
View on Information Provider website Download this resource (PDF, 325KB) {{ linkText }}
Abbreviation BRANZ EM4 Valid from 08/06/2005
Information provider BRANZ Limited Information type Evaluation method Format PDF
Cited By This resource is cited by 8 documents (show Citations) Cites This resource cites 12 documents (show Citations)
Description
This test method and reporting covers testing of coating and jointing systems for flush finished fibre cement sheet systems.
Scope
This test method does not cover the durability or fixing of the fibre cement sheets. Fibre Cement sheets shall comply with AS/NZS 2908 Part 2. The flush-finished joints shall comprise a bedding compound and reinforcing tape. Conformance with the requirements of this evaluation method satisfies the requirements of the Acceptable Solution E2/AS1 Third Edition (June 2004) Paragraph 9.7.10.2

For assistance with locating previous versions, please contact the information provider.

<u>View on Information Provider website Download this resource (PDF, 325KB)</u> {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

Test Procedure for Coating and Jointing Systems for Flush Finished Fibre Cement Sheet Cladding, EM4 (2005)

This document is CITED BY:

• E2/AS1 (Third Edition, Amendment 4)

BRANZ EM4 is cited by Acceptable Solution E2/AS1: External Moisture from 01/07/2005

• E2/AS1 (Third Edition, Amendment 5, Errata 2)

BRANZ EM4 is cited by Acceptable Solution E2/AS1: External Moisture from 01/07/2005

- <u>E2/AS1 (Third Edition, Amendment 8)</u>
 BRANZ EM4 is cited by Acceptable Solution E2/AS1: External Moisture from 01/07/2005
 E2/AS1 (Third Edition, Amendment 7)
- BRANZ EM4 is cited by Acceptable Solution E2/AS1: External Moisture from 01/07/2005
- E2/AS1 (Third Edition, Amendment 5)

BRANZ EM4 is cited by Acceptable Solution E2/AS1: External Moisture from 01/07/2005

E2/AS1 (Third Edition, Amendment 9)

BRANZ EM4 is cited by Acceptable Solution E2/AS1: External Moisture from 01/07/2005

• E2/AS1 (Third Edition, Amendment 6)

BRANZ EM4 is cited by Acceptable Solution E2/AS1: External Moisture from 01/07/2005

<u>NASH Building Envelope Solutions: 2019</u>

BRANZ EM4 is cited by NASH Building Envelope Solutions: 2019 - Light Steel Framed Buildings.

Back

Test Procedure for Coating and Jointing Systems for Flush Finished Fibre Cement Sheet Cladding, EM4 (2005)

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

This test method and reporting covers testing of coating and jointing systems for flush finished fibre cement sheet systems.

View on Information Provider website Download this resource (PDF, 325KB)

Test Procedure for Coating and Jointing Systems for Flush Finished Fibre Cement Sheet Cladding, EM4 (2005)

Description

This test method and reporting covers testing of coating and jointing systems for flush finished fibre cement sheet systems.

View on Information Provider website Download this resource (PDF, 325KB)

This resource cites:

Test Procedure for Coating and Jointing Systems for Flush Finished Fibre Cement Sheet Cladding, EM4 (2005)

This document CITES:

New Zealand Standards

AS/NZS 1580.481.1.10:1998 (Reconfirmed in 2013)

BRANZ EM4 cites AS/NZS 1580.481.1.10:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of flaking and peeling

• <u>AS/NZS 1580.481.1.7:1998 (Reconfirmed in 2013)</u>

BRANZ EM4 cites AS/NZS 1580.481.1.7:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of checking

• <u>AS/NZS 1580.481.1.8:1998 (Reconfirmed in 2013)</u>

BRANZ EM4 cites AS/NZS 1580.481.1.8:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking

• AS/NZS 1580.481.1.9:1998 (Reconfirmed in 2013)

BRANZ EM4 cites AS/NZS 1580.481.1.9:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of blistering

• AS/NZS 2908.2:2000

BRANZ EM4 cites AS/NZS 2908.2:2000 Cellulose-cement products - Part 2: Flat sheets

• <u>AS/NZS 4548.5:1999</u>

BRANZ EM4 cites AS/NZS 4548.5:1999 (R2013) Guide to long-life coatings for concrete and masonry - Guidelines to methods of test

Other

- Canadian Construction Materials Centre (CCMC) Technical Guide for Sheathing, Membrane, Breather-type, 07102 / 07193, 1993, 1999 (a link to this resource is not available)
- <u>ASTM C297-94 (1999)</u>

BRANZ EM4 cites ASTM C297-94 (1999) Standard Test Method for Flatwise Tensile Strength of Sandwich Constructions

<u>ASTM E96 - 00</u>

BRANZ EM4 cites ASTM E96 - 00 Standard Test Methods for Water Vapor Transmission of Materials

• <u>ASTM G154 - 00</u>

BRANZ EM4 cites ASTM G154 - 00 Standard Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials

• <u>ASTM G155 - 00</u>

BRANZ EM4 cites ASTM G155 - 00 Standard Practice for Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials

• <u>ISO 7500-1:1999</u>

BRANZ EM4 cites ISO 7500-1:1999 Metallic Materials - Verification of static uniaxial testing machines. Part 1: Tension/compression testing machines - Verification and calibration of the force-measuring system

Ba	IC	k

Close

Table of Contents

Print <u>Save</u> Email	
<u>Feedback</u>	
	_

- <u>Contact us</u>
- Privacy policy

- <u>Disclaimer</u><u>Copyright</u>

Feedback