

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

## EN ISO 6509:1995 Corrosion Of Metals And Alloys - Determination Of Dezincification Resistance Of Brass

[View on Information Provider website](#)

Abbreviation

EN ISO 6509:1995

Valid from

15/07/1995

---

Information provider

SAI Global

Author

European Standardization Organisation

Information type

European Standard

Format

PDF

---

Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

---

Description

The method applies to brass exposed to fresh or saline waters. May be used for control or research purposes, but the field of application is not specified. The method consists of exposure of test pieces to copper(II) chloride solution followed by microscopic examination.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## **EN ISO 6509:1995 Corrosion Of Metals And Alloys - Determination Of Dezincification Resistance Of Brass**

This document is CITED BY:

- [BS EN 1567:1999](#)

EN ISO 6509:1995 is cited by BS EN 1567:1999 Building valves. Water pressure reducing valves and combination water reducing valves. Requirements and tests.

- [BS EN 1490:2000](#)

EN ISO 6509:1995 is cited by BS EN 1490:2000 Building valves. Combined temperature and pressure relief valves. Tests and requirements

- [BS EN 1491:2000](#)

EN ISO 6509:1995 is cited by BS EN 1491:2000 Building valves. Expansion valves. Tests and requirements

## **EN ISO 6509:1995 Corrosion Of Metals And Alloys - Determination Of Dezincification Resistance Of Brass**

### **Description**

The method applies to brass exposed to fresh or saline waters. May be used for control or research purposes, but the field of application is not specified. The method consists of exposure of test pieces to copper(II) chloride solution followed by microscopic examination.

[View on Information Provider website](#)

[EN ISO 6509:1995 Corrosion Of Metals And Alloys - Determination Of Dezincification Resistance Of Brass](#)

### **Description**

The method applies to brass exposed to fresh or saline waters. May be used for control or research purposes, but the field of application is not specified. The method consists of exposure of test pieces to copper(II) chloride solution followed by microscopic examination.

[View on Information Provider website](#)

This resource does not cite any other resources.

## EN ISO 6509:1995 Corrosion Of Metals And Alloys - Determination Of Dezincification Resistance Of Brass

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print

[Save](#)

Email

[Feedback](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

[Feedback](#)