Skip to main content Skip to primary navigation Menu	
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u> 	
Print Save Email	
Resource detail Citations	

Acceptable Solution F8/AS1: Signs

<u>View on Information Provider website Download this resource (PDF, 529KB)</u> {{ linkText }}

This resource is no longer current. The current version is F8/AS1 (Second Edition, Amendment 4)

Abbreviation F8/AS1 Amendment 1 Version First Edition, Amendment 1 Valid to 10/07/2012 Valid from 01/09/1993

Information provider Ministry of Business, Innovation and Employment Information type Acceptable Solution Format PDF

Cites

This resource cites 4 documents (show Citations)

Description

Acceptable Solution F8/AS1 provides a means of compliance with Building Code Clause F8 Signs.

Building Code Clause F8 provides for the identification of escape routes, hazards, emergencyrelated safety features and accessible facilities. Signs are required to identify escape routes, emergency-related safety features, potential hazards, accessible routes and facilities for people with disabilities.

F8/AS1 describes one way of meeting the requirements of Clause F8 for the design and provision of signage in and around buildings.

Scope

Included are safety signs, exit signs, fire related safety feature signs, hazard signs, and signs for access and facilities for people with disabilities. Signs are not required for detached dwellings, within household units in multi-unit dwellings or within hotel and motel suites. Signs for persons with disabilities are only required in buildings to which section 118 of the Building Act 2004 applies.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website Download this resource (PDF, 529KB) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Acceptable Solution F8/AS1: Signs

This document is not CITED BY any other resources:

Back

Acceptable Solution F8/AS1: Signs

Show what documents this resource is CITED BY

```
Show what documents this resource CITES
```

Description

Acceptable Solution F8/AS1 provides a means of compliance with Building Code Clause F8 Signs.

Building Code Clause F8 provides for the identification of escape routes, hazards, emergencyrelated safety features and accessible facilities. Signs are required to identify escape routes, emergency-related safety features, potential hazards, accessible routes and facilities for people with disabilities.

F8/AS1 describes one way of meeting the requirements of Clause F8 for the design and provision of signage in and around buildings.

View on Information Provider website Download this resource (PDF, 529KB)

Acceptable Solution F8/AS1: Signs

This resource is no longer current. The current version is F8/AS1 (Second Edition, Amendment 4)

Description

Acceptable Solution F8/AS1 provides a means of compliance with Building Code Clause F8 Signs.

Building Code Clause F8 provides for the identification of escape routes, hazards, emergencyrelated safety features and accessible facilities. Signs are required to identify escape routes, emergency-related safety features, potential hazards, accessible routes and facilities for people with disabilities.

F8/AS1 describes one way of meeting the requirements of Clause F8 for the design and provision of signage in and around buildings.

View on Information Provider website Download this resource (PDF, 529KB)

This resource cites:

Acceptable Solution F8/AS1: Signs

This document CITES:

New Zealand Standards

• NZS 4231:1985

F8/AS1 cites NZS 4231:1985 Specification for self-luminous exit signs. from 01/09/1993

• <u>NZS 6742:1971</u>

F8/AS1 cites NZS 6742:1971 Code of practice for emergency lighting in buildings from 01/07/1992

Other

• <u>BS 5252:1976</u>

F8/AS1 cites BS 5252:1976 Framework for colour co-ordination for building purposes from 01/09/1993

• <u>BS 5378-1:1980</u>

F8/AS1 cites BS 5378-1:1980 Safety signs and colours. Specification for colour and design from 01/09/1993

Back

Close

Table of Contents

Print <u>Save</u> Email		
<u>Feedback</u>	 	
		_
 <u>Contact us</u> 		
 Privacy policy 		
 <u>Disclaimer</u> 		
 <u>Copyright</u> 		

Feedback