

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## Verification Method G10/VM1: Piped Services

[View on Information Provider website](#) [Download this resource \(PDF, 444KB\)](#)

This resource is no longer current. The current version is [G10/VM1 \(First Edition, Amendment 8\)](#)

Abbreviation

G10/VM1

Amendment

5

Version

First Edition, Amendment 5

Valid to

10/10/2011

Valid from

30/09/2010

---

Information provider

Ministry of Business, Innovation and Employment

Information type

Verification Method

Format

PDF

---

Cites

[This resource cites 1 document \(show Citations\)](#)

---

### Description

Verification Method G10/VM1 provides a means of testing to establish that piping systems will withstand a foreseeable pressure without significant leakage. It provides a means of compliance with Building Code Clause G10 Piped Services.

G10 requires the safe distribution of hot, cold or toxic substances.

In buildings provided with potentially hazardous services containing hot, cold, flammable, corrosive or toxic fluids, this clause requires the installations to be constructed to provide adequate safety for people.

This ensures piping systems must be constructed to avoid leaks or damage, contamination, adverse interaction between services and contact. Also that they are clearly identified.

**For assistance with locating previous versions, please contact the information provider.**

[View on Information Provider website](#) [Download this resource \(PDF, 444KB\)](#)

**For assistance with locating previous versions, please contact the information provider.**

**This resource is not cited by any other resources.**

# Verification Method G10/VM1: Piped Services

This document is not CITED BY any other resources:

Back

# Verification Method G10/VM1: Piped Services

Show what documents this resource is CITED BY

Show what documents this resource CITES

## Description

Verification Method G10/VM1 provides a means of testing to establish that piping systems will withstand a foreseeable pressure without significant leakage. It provides a means of compliance with Building Code Clause G10 Piped Services.

G10 requires the safe distribution of hot, cold or toxic substances.

In buildings provided with potentially hazardous services containing hot, cold, flammable, corrosive or toxic fluids, this clause requires the installations to be constructed to provide adequate safety for people.

This ensures piping systems must be constructed to avoid leaks or damage, contamination, adverse interaction between services and contact. Also that they are clearly identified.

[View on Information Provider website](#) [Download this resource \(PDF, 444KB\)](#)

## [Verification Method G10/VM1: Piped Services](#)

This resource is no longer current. The current version is [G10/VM1 \(First Edition, Amendment 8\)](#)

## Description

Verification Method G10/VM1 provides a means of testing to establish that piping systems will withstand a foreseeable pressure without significant leakage. It provides a means of compliance with Building Code Clause G10 Piped Services.

G10 requires the safe distribution of hot, cold or toxic substances.

In buildings provided with potentially hazardous services containing hot, cold, flammable, corrosive or toxic fluids, this clause requires the installations to be constructed to provide adequate safety for people.

This ensures piping systems must be constructed to avoid leaks or damage, contamination, adverse interaction between services and contact. Also that they are clearly identified.

[View on Information Provider website](#) [Download this resource \(PDF, 444KB\)](#)

## This resource cites:

# Verification Method G10/VM1: Piped Services

## This document CITES:

### New Zealand Standards

- [NZS 5261:2003](#)

G10/VM1 cites NZS 5261:2003 Gas installation from 23/06/2007

Back

Close

## Table of Contents

[Print](#) [Save](#) [Email](#)

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)