

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

Verification Method G14/VM1: Industrial Liquid Waste

[View on Information Provider website](#) [Download this resource \(PDF, 1.3MB\)](#)

This resource is no longer current. The current version is [G14/VM1 \(Second Edition, Amendment 6\)](#)

Abbreviation

G14/VM1

Amendment

5

Version

Second Edition, Amendment 5

Valid to

30/05/2017

Valid from

14/02/2014

Information provider

Ministry of Business, Innovation and Employment

Information type

Verification Method

Format

PDF

Cites

[This resource cites 45 documents \(show Citations\)](#)

Description

Verification Method G14/VM1 provides a means of compliance with Building Code Clause G14 Industrial and Liquid Waste.

This clause requires the safe and hygienic collection, treatment and disposal of industrial liquid waste to avoid contamination.

It ensures buildings in which industrial liquid waste or foul water is collected, generated, treated or disposed of are provided with adequate spaces and facilities to do so safely, avoiding the likelihood of blockage, leakage or contamination.

It also sets requirements to prevent unauthorised access.

Scope

This document describes the requirements to be satisfied by specific design for systems used for the collection, storage, treatment and disposal of industrial liquid waste. Where waste is hazardous, the storage facilities shall also comply with NZBC F3 Hazardous Substances and Processes.

Previous versions:

[G14/VM1 \(Second Edition, Amendment 4\)](#)
[G14/VM1 \(Second Edition, Amendment 3\)](#)

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [Download this resource \(PDF, 1.3MB\)](#)

[G14/VM1 Amendment 4 Second Edition, Amendment 4](#)
[G14/VM1 Amendment 3 Second Edition, Amendment 3](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Verification Method G14/VM1: Industrial Liquid Waste

This document is not CITED BY any other resources:

Verification Method G14/VM1: Industrial Liquid Waste

Description

Verification Method G14/VM1 provides a means of compliance with Building Code Clause G14 Industrial and Liquid Waste.

This clause requires the safe and hygienic collection, treatment and disposal of industrial liquid waste to avoid contamination.

It ensures buildings in which industrial liquid waste or foul water is collected, generated, treated or disposed of are provided with adequate spaces and facilities to do so safely, avoiding the likelihood of blockage, leakage or contamination.

It also sets requirements to prevent unauthorised access.

[View on Information Provider website](#) [Download this resource \(PDF, 1.3MB\)](#)

[Verification Method G14/VM1: Industrial Liquid Waste](#)

This resource is no longer current. The current version is [G14/VM1 \(Second Edition, Amendment 6\)](#)

Description

Verification Method G14/VM1 provides a means of compliance with Building Code Clause G14 Industrial and Liquid Waste.

This clause requires the safe and hygienic collection, treatment and disposal of industrial liquid waste to avoid contamination.

It ensures buildings in which industrial liquid waste or foul water is collected, generated, treated or disposed of are provided with adequate spaces and facilities to do so safely, avoiding the likelihood of blockage, leakage or contamination.

It also sets requirements to prevent unauthorised access.

[View on Information Provider website](#) [Download this resource \(PDF, 1.3MB\)](#)

This resource cites:

Verification Method G14/VM1: Industrial Liquid Waste

New Zealand Standards

- [AS/NZS 1260:2009](#)

G14/VM1 cites AS/NZS 1260:2009 PVC-U Pipes and fittings for drain, waste and vent applications from 10/10/2011

- [AS/NZS 1477:2006](#)

G14/VM1 cites AS/NZS 1477:2006 PVC pipes and fittings for pressure applications from 10/10/2011

- [AS/NZS 1546.1:2008](#)

G14/VM1 cites AS/NZS 1546.1:2008 On-site domestic wastewater treatment units: Septic tanks from 10/10/2011

- [AS/NZS 2032:2006](#)

G14/VM1 cites AS/NZS 2032:2006 Installation of PVC pipe systems from 30/09/2010

- [AS/NZS 2033:2008](#)

G14/VM1 cites AS/NZS 2033:2008 Installation of polyethylene pipe systems from 30/09/2010

- [AS/NZS 2642.2:2008](#)

G14/VM1 cites AS/NZS 2642.2:2008 Polybutylene pipe systems - Polybutylene (PB) pipe for hot and cold water applications from 10/10/2011

- [AS/NZS 2642.3:2008](#)

G14/VM1 cites AS/NZS 2642.3:2008 Polybutylene pipe systems - Mechanical jointing fittings for use with polybutylene (PB) pipes for hot and cold water applications from 10/10/2011

- [AS/NZS 3518:2004](#)

G14/VM1 cites AS/NZS 3518:2004 Acrylonitrile butadiene styrene (ABS) compounds, pipes and fittings for pressure applications from 30/06/2010

- [AS/NZS 3690:2009](#)

G14/VM1 cites AS/NZS 3690:2009 Installation of ABS pipe systems from 10/10/2011

- [AS/NZS 4058:2007](#)

G14/VM1 cites AS/NZS 4058:2007 Pre cast concrete pipes (pressure and non-pressure) from 30/09/2010

- [AS/NZS 4129:2008](#)

G14/VM1 cites AS/NZS 4129:2008 Fittings for polyethylene (PE) pipes for pressure applications from 10/10/2011

- [AS/NZS 4130:2009](#)

G14/VM1 cites AS/NZS 4130:2009 Polyethylene (PE) pipes for pressure applications from 10/10/2011

- [AS/NZS 4331.1:1995](#)

G14/VM1 cites AS/NZS 4331.1:1995 (R2016) Metallic flanges - Steel flanges from 21/06/2007

- [AS/NZS 4331.2:1995](#)

G14/VM1 cites AS/NZS 4331.2:1995 (R2016) Metallic flanges - Cast iron flanges from 21/06/2007

- [AS/NZS 4331.3:1995](#)

G14/VM1 cites AS/NZS 4331.3:1995 (R2016) Metallic flanges - Copper alloy and composite flanges from 21/06/2007

- [AS/NZS 4401:2006](#)

G14/VM1 cites AS/NZS 4401:2006 (R2016) Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings - Polyethylene (PE) from 30/09/2010

- [AS/NZS 4765:2007](#)

G14/VM1 cites AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications from 30/09/2010

- [NZS 3106:2009](#)

G14/VM1 cites NZS 3106:2009 Design of concrete structures for the storage of liquids from 30/09/2010

- [NZS 4219:2009](#)

G14/VM1 cites NZS 4219:2009 Seismic performance of engineering systems in buildings from 14/02/2014

- [NZS 4442:1988](#)

G14/VM1 cites NZS 4442:1988 Welded steel pipes and fittings for water, sewage and medium pressure gas from 21/06/2007

- [NZS 7601 :1978](#)

G14/VM1 cites NZS 7601:1978 Specification for polyethylene pipe (Type 3) for cold water services from 21/06/2007

- [NZS/BS 1387:1985](#)

G14/VM1 cites NZS/BS 1387:1985 Specification for screwed and socketed steel tubes and tubulars and for plain end steel tubes suitable for welding or screwing to BS 21 pipe threads from 21/06/2007

- [NZS/BS 21:1985](#)

G14/VM1 cites NZS/BS 21:1985 Specification for pipe threads for tubes and fittings where pressure-tight joints are made on the threads (metric dimensions) from 21/06/2007

Australian Standards

- [AS 1741-1991](#)

G14/VM1 cites AS 1741-1991 (R2018) Vitrified clay pipes and fittings with flexible joints - Sewer quality from 21/06/2007

Other

- [1991 No 69](#)

G14/VM1 cites Resource Management Act 1991 from 21/06/2007

- [BS 6374-1:1985](#)

G14/VM1 cites BS 6374-1:1985 Lining of equipment with polymeric materials for the process industries - Specification for lining with sheet thermoplastics from 21/06/2007

- [BS EN 10241:2000](#)

G14/VM1 cites BS EN 10241:2000 Steel threaded pipe fittings from 21/06/2007

- [BS 143 and 1256:2000](#)

G14/VM1 cites BS 143 and 1256:2000 Threaded pipe fittings in malleable cast iron and cast copper alloy from 30/09/2010

- [BS 2971:1991](#)

G14/VM1 cites BS 2971:1991 Specification for class II arc welding of carbon steel pipework for carrying fluids from 21/06/2007

- [BS 4991:1974 \(1982\)](#)

G14/VM1 cites BS 4991:1974 Specification for propylene copolymer pressure pipe from 21/06/2007

- [BS 6374-2:1984](#)

G14/VM1 cites BS 6374-2:1984 Lining of equipment with polymeric materials for the process industries - Specification for lining with non-sheet applied thermoplastics from 21/06/2007

- [BS 6374-3:1984](#)

G14/VM1 cites BS 6374-3:1984 Lining of equipment with polymeric materials for the process industries - Specification for lining with stoved thermosetting resins from 21/06/2007

- [BS 6374-4:1984](#)

G14/VM1 cites BS 6374-4:1984 Lining of equipment with polymeric materials for the process industries - Specification for lining with cold curing thermosetting resins from 21/06/2007

- [BS 6374-5:1985](#)

G14/VM1 cites BS 6374-5:1985 Lining of equipment with polymeric materials for the process industries - Specification for lining with rubbers from 21/06/2007

- [BS 6464:1984](#)

G14/VM1 cites BS 6464:1984 Specification for reinforced plastics pipes, fittings and joints for process plants from 21/06/2007

- [BS 7159:1989](#)

G14/VM1 cites BS 7159:1989 Code of practice for design and construction of glass-reinforced plastics (GRP) piping systems for individual plants or sites from 21/06/2007

- [BS 7777-1:1993](#)

G14/VM1 cites BS 7777-1:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Guide to the general provisions applying for design, construction, installation and operation from 21/06/2007

- [BS 7777-2:1993](#)

G14/VM1 cites BS 7777-2:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Specification for the design and construction of single, double and full containment metal tanks for the storage of liquefied gas at temperatures down to -165 from 21/06/2007

- [BS 7777-3:1993](#)

G14/VM1 cites BS 7777-3:1993 Flat-bottomed, vertical, cylindrical storage tanks for low temperature service. Recommendations for the design and construction of prestressed and reinforced concrete tanks and tank foundations, and for the design and installation of tank from 21/06/2007

- [BS EN 12285-1:2003](#)

G14/VM1 cites BS EN 12285-1:2003 Workshop fabricated steel tanks - Horizontal cylindrical single skin and double skin tanks for the underground storage of flammable and non-flammable water polluting liquids from 30/09/2010

- [BS EN 12285-2:2005](#)

G14/VM1 cites BS EN 12285-2:2005 Workshop fabricated steel tanks - Horizontal cylindrical single skin and double skin tanks for the aboveground storage of flammable and non-flammable water polluting liquids from 30/09/2010

- [BS EN 12585:1999](#)

G14/VM1 cites BS EN 12585:1999 Glass plant, pipeline and fittings - Pipeline and fittings DN 15 to 1000 - compatibility and interchangeability from 21/06/2007

- [BS EN 13121-3:2008](#)

G14/VM1 cites BS EN 13121-3:2008 GRP tanks and vessels for use above ground. Design and workmanship from 30/09/2010

- [BS EN 1595:1997](#)

G14/VM1 cites BS EN 1595:1997 Pressure equipment made from borosilicate glass 3.3 - general rules for design, manufacture and testing from 21/06/2007

- [SR 2001/119 \(Revoked on 1 December 2017\)](#)

G14/VM1 cites Hazardous Substances (Disposal) Regulations 2001 from 21/06/2007

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

| | | |
|--|--|--|
| | | |
| | | |
| | | |

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

| | | |
|--|--|--|
| | | |
| | | |

[Feedback](#)