

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## Acceptable Solution G8/AS1: Artificial Light

[View on Information Provider website](#) [Download this resource \(PDF, 481KB\)](#)

Abbreviation

G8/AS1

Amendment

2

Version

First Edition, Amendment 2

Valid from

14/02/2014

---

Information provider

Ministry of Business, Innovation and Employment

Information type

Acceptable Solution

Format

PDF

---

### Description

Acceptable Solution G8/AS1 provides a means of compliance with Building Code Clause G8 Artificial Light. Building Code Clause G8 requires buildings to have sufficient artificial light to safeguard people from injury.

It requires spaces within buildings used by people to be provided with adequate artificial lighting to allow safe movement.

It requires illuminance of no less than 20 lux at floor level in exitways, access routes and common spaces within buildings.

### Previous versions:

[G8/AS1 \(First Edition, Amendment 1\)](#)

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [Download this resource \(PDF, 481KB\)](#)

[G8/AS1 Amendment 1 First Edition, Amendment 1](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

## Acceptable Solution G8/AS1: Artificial Light

This document is not CITED BY any other resources:

Back

## Acceptable Solution G8/AS1: Artificial Light

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

Acceptable Solution G8/AS1 provides a means of compliance with Building Code Clause G8 Artificial Light. Building Code Clause G8 requires buildings to have sufficient artificial light to safeguard people from injury.

It requires spaces within buildings used by people to be provided with adequate artificial lighting to allow safe movement.

It requires illuminance of no less than 20 lux at floor level in exitways, access routes and common spaces within buildings.

[View on Information Provider website](#) [Download this resource \(PDF, 481KB\)](#)

### [Acceptable Solution G8/AS1: Artificial Light](#)

### Description

Acceptable Solution G8/AS1 provides a means of compliance with Building Code Clause G8 Artificial Light. Building Code Clause G8 requires buildings to have sufficient artificial light to safeguard people from injury.

It requires spaces within buildings used by people to be provided with adequate artificial lighting to allow safe movement.

It requires illuminance of no less than 20 lux at floor level in exitways, access routes and common spaces within buildings.

[View on Information Provider website](#) [Download this resource \(PDF, 481KB\)](#)

This resource does not cite any other resources.

## Acceptable Solution G8/AS1: Artificial Light

This resource does not CITE any other resources.

Back

Close

### Table of Contents

## References

## Definitions

## Verification Method G8/VM1

### 1.0 Illuminance

## Acceptable Solution G8/AS1

### 1.0 Illuminance

## Index

Print Save Email

[Feedback](#)

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |

[Feedback](#)