

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

Acceptable Solution H1/AS1: Energy Efficiency

[View on Information Provider website](#) [Download this resource \(PDF, 1.0MB\)](#)

This resource is no longer current. The current version is [H1/AS1 \(Fourth edition, Amendment 4\)](#)

Abbreviation

H1/AS1

Amendment

3

Version

Fourth Edition, Amendment 3

Valid to

31/03/2020

Valid from

01/01/2017

Information provider

Ministry of Business, Innovation and Employment

Information type

Acceptable Solution

Format

PDF

Cites

[This resource cites 6 documents \(show Citations\)](#)

Description

Acceptable Solution H1/AS1 provides a means of compliance with Building Code Clause H1 Energy Efficiency.

Clause H1 provides for the efficient use of energy and sets physical conditions for energy performance.

It requires housing to meet a building performance index (BPI) not exceeding 1.55 (this is defined in the Verification Method and Acceptable Solution).

It requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings. It also sets out physical conditions likely to affect energy performance, and requirements for hot water systems, artificial lighting and HVAC systems.

Scope

This Acceptable Solution can be used for housing, communal residential, communal non-residential and commercial buildings.

It does not include the use of foil insulation.

Previous versions:

[H1/AS1 \(Third Edition, Amendment 2\)](#)
[H1/AS1 \(Third Edition \(unamended\)\)](#)

For assistance with locating previous versions, please contact the information provider.

[Table of Contents](#) [View on Information Provider website](#) [Download this resource \(PDF, 1.0MB\)](#) [{{ linkText }}](#)

[Previous versions](#)

[H1/AS1 Amendment 2 Third Edition, Amendment 2](#)
[H1/AS1 Third Edition \(unamended\)](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Acceptable Solution H1/AS1: Energy Efficiency

This document is not CITED BY any other resources:

[Back](#)

Acceptable Solution H1/AS1: Energy Efficiency

[Show what documents this resource is CITED BY](#) [Show what documents this resource CITES](#)

Description

Acceptable Solution H1/AS1 provides a means of compliance with Building Code Clause H1 Energy Efficiency.

Clause H1 provides for the efficient use of energy and sets physical conditions for energy performance.

It requires housing to meet a building performance index (BPI) not exceeding 1.55 (this is defined in the Verification Method and Acceptable Solution).

It requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings. It also sets out physical conditions likely to affect energy performance, and requirements for hot water systems, artificial lighting and HVAC systems.

[View on Information Provider website](#) [Download this resource \(PDF, 1.0MB\)](#)

[Acceptable Solution H1/AS1: Energy Efficiency](#)

This resource is no longer current. The current version is [H1/AS1 \(Fourth edition, Amendment 4\)](#)

Description

Acceptable Solution H1/AS1 provides a means of compliance with Building Code Clause H1 Energy Efficiency.

Clause H1 provides for the efficient use of energy and sets physical conditions for energy performance.

It requires housing to meet a building performance index (BPI) not exceeding 1.55 (this is defined in the Verification Method and Acceptable Solution).

It requires enclosed spaces where temperature or humidity are modified to provide adequate thermal resistance and to limit uncontrollable airflow in certain buildings. It also sets out physical conditions likely to affect energy performance, and requirements for hot water systems, artificial lighting and HVAC systems.

[View on Information Provider website](#) [Download this resource \(PDF, 1.0MB\)](#)

This resource cites:

Acceptable Solution H1/AS1: Energy Efficiency

This document CITES:

- [AS/NZS 4859.1:2002](#)

H1/AS1 cites AS/NZS 4859.1:2002 Materials for the thermal insulation of buildings - General criteria and technical provisions from 31/10/2007

- [NZS 4214:2006](#)

H1/AS1 cites NZS 4214:2006 Methods of determining the total thermal resistance of parts of buildings from 31/10/2007

- [NZS 4218:2009](#)

H1/AS1 cites NZS 4218:2009 Thermal insulation - Housing and small buildings from 01/01/2017

- [NZS 4243.1:2007](#)

H1/AS1 cites NZS 4243.1:2007 Energy efficiency - Large buildings - Building thermal envelope from 31/10/2007

- [NZS 4243.2:2007](#)

H1/AS1 cites NZS 4243.2:2007 Energy efficiency - Large buildings - Lighting from 31/10/2007

- [NZS 4305:1996](#)

H1/AS1 cites NZS 4305:1996 Energy efficiency - domestic type hot water systems from 31/10/2007

Back

Close

Table of Contents

References

Definitions

Verification Method H1/VM1

1.0 Building Thermal Envelope

1.1 Modelling of housing and small buildings

1.2 Building performance index for housing

1.3 Modelling of large buildings other than housing

1.4 Determining thermal resistance

Acceptable Solution H1/AS1

1.0 General

2.0 Building Thermal Envelope

2.1 Housing and small buildings

2.2 Large buildings other than housing

2.3 Determining thermal resistance

3.0 Control of Airflow

4.0 Control of Solar Heat Gain

5.0 Hot Water Systems

6.0 Artificial Lighting

6.1 Commercial and Communal Non-Residential buildings

Index

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)