

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

ICBO Evaluation AC148 Acceptance criteria for flashing materials

An online link to this resource is not currently available

{ { linkText } }

Abbreviation

ICBO AC148

Valid from

01/01/2001

Information provider

International Code Council

Author

International Conference of Building Officials

Information type

Standard

Cited By

[This resource is cited by 9 documents \(show Citations\)](#)

Cites

[This resource cites 7 documents \(show Citations\)](#)

Description

The acceptance criteria is limited to recognition of the following:

Hip and Ridge Tape: Synthetic butyl rubberbased membranes for use as a wind and rain block beneath hips and ridges of concrete or clay tile roofs under IBC ' Section 1507.3, IRC Section R905.3 and UBC Section ' 1507.7. The membranes self-adhere to substrates.

Self-adhering Flashing: Evaluation under this ' criteria is limited to rubber-based or modified asphalt membranes, or either of these materials laminated to a fabric or plastic film, used as flashing for wall penetrations ' under IBC Section 1405.3, IRC Section R703.8 and UBC ' Section 1402.2.

Mechanically Attached Flashing: Evaluation ' under this criteria is limited to kraft-paper- or polymeric' based membranes used as flashing for wall penetrations ' under IBC Section 1405.3, IRC Section R703.8 and UBC ' Section 1402.2.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

An online link to ICBO AC148:2001 is not currently available.

You can obtain 2006 version from this weblink: https://global.ihc.com/doc_detail.cfm?document_name=ICBO%20AC148&item_s_key=00500442

An online link to this resource is not currently available

{{ linkText }}

For assistance with locating previous versions, please contact the information provider.

An online link to ICBO AC148:2001 is not currently available.

You can obtain 2006 version from this weblink: https://global.ihs.com/doc_detail.cfm?document_name=ICBO%20AC148&item_s_key=00500442

This resource is cited by:

ICBO Evaluation AC148 Acceptance criteria for flashing materials

This document is CITED BY:

- [E2/AS1 \(Third Edition, Amendment 7\)](#)
ICBO AC148 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005
- [E2/AS1 \(Third Edition, Amendment 5, Errata 2\)](#)
ICBO AC148 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005
- [E2/AS1 \(Third Edition, Amendment 8\)](#)
ICBO AC148 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005
- [E2/AS1 \(Third Edition, Amendment 5\)](#)
ICBO AC148 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005
- [E2/AS1 \(Third Edition, Amendment 9\)](#)
ICBO AC148 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005
- [E2/AS1 \(Third Edition, Amendment 6\)](#)
ICBO AC148 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005
- [E2/AS1 \(Third Edition, Amendment 4\)](#)
ICBO AC148 is cited by Acceptable Solution E2/AS1: External Moisture from 01/02/2005
- [CCANZ CP 01:2014](#)
ICBO AC148 is cited by Code of Practice for Weathertight Concrete and Concrete Masonry Construction
- [NASH Building Envelope Solutions: 2019](#)
ICBO AC148 is cited by NASH Building Envelope Solutions: 2019 - Light Steel Framed Buildings.

Back

ICBO Evaluation AC148 Acceptance criteria for flashing materials

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

The acceptance criteria is limited to recognition of the following:

Hip and Ridge Tape: Synthetic butyl rubberbased membranes for use as a wind and rain block beneath hips and ridges of

concrete or clay tile roofs under IBC ' Section 1507.3, IRC Section R905.3 and UBC Section ' 1507.7. The membranes self-adhere to substrates.

Self-adhering Flashing: Evaluation under this ' criteria is limited to rubber-based or modified asphalt membranes, or either of these materials laminated to a fabric or plastic film, used as flashing for wall penetrations ' under IBC Section 1405.3, IRC Section R703.8 and UBC ' Section 1402.2.

Mechanically Attached Flashing: Evaluation ' under this criteria is limited to kraft-paper- or polymeric' based membranes used as flashing for wall penetrations ' under IBC Section 1405.3, IRC Section R703.8 and UBC ' Section 1402.2.

An online link to this resource is not currently available

[ICBO Evaluation AC148 Acceptance criteria for flashing materials](#)

Description

The acceptance criteria is limited to recognition of the following:

Hip and Ridge Tape: Synthetic butyl rubberbased membranes for use as a wind and rain block beneath hips and ridges of concrete or clay tile roofs under IBC ' Section 1507.3, IRC Section R905.3 and UBC Section ' 1507.7. The membranes self-adhere to substrates.

Self-adhering Flashing: Evaluation under this ' criteria is limited to rubber-based or modified asphalt membranes, or either of these materials laminated to a fabric or plastic film, used as flashing for wall penetrations ' under IBC Section 1405.3, IRC Section R703.8 and UBC ' Section 1402.2.

Mechanically Attached Flashing: Evaluation ' under this criteria is limited to kraft-paper- or polymeric' based membranes used as flashing for wall penetrations ' under IBC Section 1405.3, IRC Section R703.8 and UBC ' Section 1402.2.

An online link to this resource is not currently available

This resource cites:

ICBO Evaluation AC148 Acceptance criteria for flashing materials

This document CITES:

Other

- CCMC - Technical Guide for Sheathing, Membrane, Breather-type, 07102, July 13,1993, Canadian Construction Materials Centre. (a link to this resource is not available)

- [AC85 December 2008](#)

ICBO AC148 cites Acceptance Criteria For Test Reports (AC85)

- [AC89 September 2000](#)

ICBO AC148 cites Acceptance Criteria For Laboratory Accreditation AC89

- [ASTM C794-80 \(1980 Edition\)](#)

ICBO AC148 cites ASTM C794-80 Standard Test Method for Adhesion-in-peel of Elastomeric Joint Sealants

- [ASTM D1970-90 \(90th Edition\)](#)

ICBO AC148 cites ASTM D1970-90 Standard Specification for Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection

- [ASTM D412-98a](#)

ICBO AC148 cites ASTM D412-98a Test Method for Vulcanized Rubber and Thermoplastic Rubbers and Thermoplastic Elastomers-Tension

- [TM127-TM 127](#)

ICBO AC148 cites TM127-TM 127 Water Resistance: Hydrostatic Pressure Test (AATC Method 127)

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)