

- [Home](#) [Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

IEC 60068-2-78:2001 Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state

[View on Information Provider website](#)

{{ linkText }}

Abbreviation

IEC 60068-2-78:2001

Valid from

20/08/2001

Information provider

International Electrotechnical Commission

Author

International Electrotechnical Commission

Information type

IEC Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard provides a test method for determining the suitability of electrotechnical products, components or equipment for transportation, storage and use under conditions of high humidity.

The test is primarily intended to permit the observation of the effect of high humidity at constant temperature without condensation on the specimen over a prescribed period.

This test provides a number of preferred severities of high temperature, high humidity and test duration. It can be applied to both heat-dissipating and non-heat dissipating specimens.

The test is applicable to small equipment or components as well as large equipment having complex interconnections with test equipment external to the chamber, requiring a set-up time which prevents the use of preheating and the maintenance of specified conditions during the installation period.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

{{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

IEC 60068-2-78:2001 Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state

This document is CITED BY:

- [ISO 12239: 2003](#)

IEC 60068-2-78:2001 is cited by ISO 12239: 2003 Fire detection and fire alarm systems - smoke alarms

Back

IEC 60068-2-78:2001 Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard provides a test method for determining the suitability of electrotechnical products, components or equipment for transportation, storage and use under conditions of high humidity.

The test is primarily intended to permit the observation of the effect of high humidity at constant temperature without condensation on the specimen over a prescribed period.

This test provides a number of preferred severities of high temperature, high humidity and test duration. It can be applied to both heat-dissipating and non-heat dissipating specimens.

The test is applicable to small equipment or components as well as large equipment having complex interconnections with test equipment external to the chamber, requiring a set-up time which prevents the use of preheating and the maintenance of specified conditions during the installation period.

[View on Information Provider website](#)

[IEC 60068-2-78:2001 Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state](#)

Description

This standard provides a test method for determining the suitability of electrotechnical products, components or equipment for transportation, storage and use under conditions of high humidity.

The test is primarily intended to permit the observation of the effect of high humidity at constant temperature without condensation on the specimen over a prescribed period.

This test provides a number of preferred severities of high temperature, high humidity and test duration. It can be applied to both heat-dissipating and non-heat dissipating specimens.

The test is applicable to small equipment or components as well as large equipment having complex interconnections with test equipment external to the chamber, requiring a set-up time which prevents the use of preheating and the maintenance of specified conditions during the installation period.

[View on Information Provider website](#)

This resource does not cite any other resources.

IEC 60068-2-78:2001 Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)